



9 March 2018

Edition 5

AUSTRALIAN NOTICES TO MARINERS

Notices 185 - 228

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore F.T. FREEMAN RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**
- III. **Navigational Warnings.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**
- V. **Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).**

© Commonwealth of Australia 2018

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 5

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
185	Aus 267, 610
186	Aus 807
187	Aus 812
188	Aus 193
189	Aus 201
190	Aus 201
191	Aus 814
192	Aus 237
193	Aus 245, 271, 272
194	Aus 230
195	Aus 642
196	Aus 646
197	Aus 26
198	Aus 81
199	Aus 754
200	Aus 52, 56, 58, 66, 69, 81, 110, 113, 115, 119
201	Aus 331
202	Aus 129, 485, 780
203	Aus 341, 342
204	Aus 182
205	Aus 150, 801
206	Aus 349, 788, 801
207	Aus 155
208(T)	Aus 811
209(T)	Aus 806
210(T)	Aus 193
211(T)	Aus 207, 208, 489, 809, 4643, INT 643
212(T)	Aus 200, 201
213(T)	Aus 236
214(T)	Aus 240
215(T)	Aus 259
216(T)	Aus 235
217(T)	Aus 813, 814
218(T)	Aus 326
219(T)	Aus 319, 320, 322, 4721, 4722, INT 721, 722
220(T)	Aus 319
221(T)	Aus 315, 318, 728, 4721, INT 721
222(T)	Aus 331, 746, 4725, INT 725
223(T)	Aus 327, 4723, INT 723
224(T)	Aus 357, 487
225(T)	Aus 157
226(T)	Aus 143
227(T)	Aus 173
228(T)	Aus 177

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 5

Aus Chart	Notices
Aus 26	197
Aus 52	200
Aus 56	200
Aus 58	200
Aus 66	200
Aus 69	200
Aus 81	198, 200
Aus 110	200
Aus 113	200
Aus 115	200
Aus 119	200
Aus 129	202
Aus 143	226(T)
Aus 150	205
Aus 155	207
Aus 157	225(T)
Aus 173	227(T)
Aus 177	228(T)
Aus 182	204
Aus 193	188, 210(T)
Aus 200	212(T)
Aus 201	189, 190, 212(T)
Aus 207	211(T)
Aus 208	211(T)
Aus 230	194
Aus 235	216(T)
Aus 236	213(T)
Aus 237	192
Aus 240	214(T)
Aus 245	193
Aus 259	215(T)
Aus 267	185
Aus 271	193
Aus 272	193
Aus 315	221(T)
Aus 318	221(T)
Aus 319	219(T), 220(T)
Aus 320	219(T)
Aus 322	219(T)
Aus 326	218(T)
Aus 327	223(T)
Aus 331	201, 222(T)
Aus 341	203
Aus 342	203
Aus 349	206
Aus 357	224(T)
Aus 485	202
Aus 487	224(T)
Aus 489	211(T)
Aus 610	185
Aus 642	195
Aus 646	196
Aus 728	221(T)
Aus 746	222(T)

Aus Chart	Notices
Aus 754	199
Aus 780	202
Aus 788	206
Aus 801	205, 206
Aus 806	209(T)
Aus 807	186
Aus 809	211(T)
Aus 811	208(T)
Aus 812	187
Aus 813	217(T)
Aus 814	191, 217(T)
Aus 4643	211(T)
Aus 4721	219(T), 221(T)
Aus 4722	219(T)
Aus 4723	223(T)
Aus 4725	222(T)

INT Chart	Notices
INT 643	211(T)
INT 721	219(T), 221(T)
INT 722	219(T)
INT 723	223(T)
INT 725	222(T)

185 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts
UKHO , Australian Hydrographic Office

New Charts

Chart	Title and Geographical limits	Scale	Publication Date	Remarks
NIL				

New Electronic Navigation Chart (Aus ENC)

Cell Name	Title	Publication Date	Remarks
NIL			

New Editions and Withdrawn Charts

Chart	Title	Scale	Publication Date	Remarks
AUS 267	Port of Lucinda	1:12 500	09/03/2018	New Edition incorporating latest bathymetric data
Edition 3	Plan: Lucinda Offshore Wharf	1:5 000		Chart Aus 267 Edition 2 dated 31 July 2015 is now superseded and must be withdrawn from use
AUS 610	Approaches to Lord Howe Island	1:150 000	09/03/2018	New Edition incorporating latest bathymetric data and navaid updates
Edition 2	Plans: Lord Howe Island The Lagoon (North) The Lagoon (South)	1:25 000 1:12 500 1:12 500		Chart Aus 267 Edition 1 dated 10 November 2000 is now superseded and must be withdrawn from use

Admiralty publication

NP No	Title	Date	Remarks
NP88	Admiralty List of Lights and Fog Signals Volume Q 2018/19 Eastern Indian Ocean, South of the Equator, Including Java, Banda and Timor Seas.	01/02/2018	

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

186 AUSTRALIA - NEW SOUTH WALES - Batemans Bay - Light buoy eastwards
Manly Hydraulics Laboratory

Aus 807 [1017/2016]

Move	light buoy	35° 42'.5 S	150° 20'.2 E
	to	35° 44'.42 S	150° 19'.13 E

187 AUSTRALIA - NEW SOUTH WALES - Coffs Harbour - Light buoy southeastwards
Manly Hydraulics Laboratory

Aus 812 [773/2017]

Move	light buoy	30° 21'.8 S	153° 16'.2 E
	to	30° 22'.05 S	153° 16'.67 E

188 AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Huskisson - Light buoys

NSW Roads and Maritime Services

Aus 193 (plan, Huskisson) [493/2017]

Insert	starboard lateral conical light buoy, <i>Fl.G.3s</i> , without topmark	35° 02'.240 S	150° 40'.292 E
	port lateral spar light buoy, <i>Fl.R.3s</i> , without topmark	35° 02'.246 S	150° 40'.242 E
Delete	buoy	35° 02'.24 S	150° 40'.27 E
	buoy	35° 02'.21 S	150° 40'.24 E

189* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Western Channel - Light buoy

Port Authority of New South Wales Notice 5/2018

Aus 201 [49/2018]

Insert	special pillar light buoy, <i>Fl.Y.5s</i> , with topmark	33° 50'.483 S	151° 15'.866 E
--------	----------------------------------------------------------	---------------	----------------

190 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Grotto Point - Depths

Port Authority of New South Wales

Aus 201 [189/2018]

Insert	depth, 0_7m , and extend contour S to enclose	33° 49'.091 S	151° 15'.648 E
Delete	depth, 0_8m	33° 49'.07 S	151° 15'.65 E

191 AUSTRALIA - QUEENSLAND - Bribie Island - Nav aids

Maritime Safety Queensland Notice 494/2017

Aus 814 [145/2018]

Delete	light	27° 00'.5 S	153° 09'.8 E
	light	27° 00'.7 S	153° 10'.3 E
	dashed line emanating from light	27° 00'.5 S	153° 09'.8 E

192 AUSTRALIA - QUEENSLAND - Brisbane River - Luggage Point - Maintained depth*Former Notice - 915(T)/2017 is cancelled*

Maritime Safety Queensland Notice 63/2018

Aus 237 [1062/2017]

Amend	legend to $14.3m$	27° 23'.03 S	153° 09'.29 E
-------	-------------------	--------------	---------------

193 AUSTRALIA - QUEENSLAND - Gladstone - South Passage Island - Depths

Maritime Safety Queensland

Aus 245 [1010/2017]

Insert	contour, between	23° 46'.865 S	151° 10'.257 E
		23° 46'.983 S	151° 10'.337 E
		23° 47'.068 S	151° 10'.362 E

Delete	depth, 4 ₃ m	23° 46'.83 S	151° 11'.97 E
	contour, between	23° 46'.87 S	151° 10'.26 E
		23° 47'.07 S	151° 10'.36 E

Aus 271 [775/2017]

Insert	depth, 1 ₈ m, enclosed by contour	23° 47'.061 S	151° 10'.244 E
	depth, 1 ₈ m, enclosed by contour	23° 46'.820 S	151° 11'.958 E
	contour, between	23° 46'.865 S	151° 10'.257 E
		23° 46'.983 S	151° 10'.337 E
		23° 47'.068 S	151° 10'.362 E
	depth, 3 ₃ m	23° 46'.991 S	151° 10'.304 E

Delete	depth, 4 ₃ m	23° 46'.83 S	151° 11'.97 E
	contour, between	23° 46'.87 S	151° 10'.26 E
		23° 47'.07 S	151° 10'.36 E

Aus 272 [815/2017]

Insert	depth, 1 ₈ m, enclosed by contour	23° 47'.061 S	151° 10'.244 E
	depth, 1 ₈ m, enclosed by contour	23° 46'.820 S	151° 11'.958 E
	contour, between	23° 46'.865 S	151° 10'.257 E
		23° 46'.983 S	151° 10'.337 E
		23° 47'.068 S	151° 10'.362 E
	depth, 3 ₃ m	23° 46'.991 S	151° 10'.304 E

Replace	depth, 4 ₄ m, with depth, 3 ₂ m	23° 46'.04 S	151° 11'.33 E
---------	-------------------------------------------------------	--------------	---------------

Delete	depth, 4 ₃ m	23° 46'.83 S	151° 11'.97 E
	contour, between	23° 46'.87 S	151° 10'.26 E
		23° 47'.07 S	151° 10'.36 E

194 AUSTRALIA - QUEENSLAND - Gold Coast - Southport - Buoys

Maritime Safety Queensland Notice 62/2018

Aus 230 [52/2018]

Insert	special cylindrical buoy, with topmark	27° 58'.216 S	153° 25'.305 E
--------	----------------------------------------	---------------	----------------

Replace	buoy, with port lateral cylindrical buoy, without topmark	27° 57'.93 S	153° 25'.22 E
---------	-----------------------------------------------------------	--------------	---------------

195 PAPUA NEW GUINEA - Lae - Voco Point - WreckHMAS *Melville***Aus 642 [503/2017]**

Insert	stranded wreck	6° 44'.387 S	147° 00'.552 E
--------	----------------	--------------	----------------

Delete	depth, 9 ₈ m	06° 44'.39 S	147° 00'.55 E
--------	-------------------------	--------------	---------------

196 PAPUA NEW GUINEA - Madang - Binnen Harbour - WrecksHMAS *Melville***Aus 646 [147/2018]**

Insert	depth, 12 ₅ m, enclosed by danger circle with legend <i>Wks</i>	5° 12'.835 S	145° 48'.126 E
--------	----------------------------------------------------------------------------	--------------	----------------

Replace	wreck, 12 ₅ m, with wreck, 11 ₆ m	5° 12'.95 S	145° 48'.00 E
---------	---------------------------------------------------------	-------------	---------------

Delete	depth, 9 ₈ m	5° 12'.84 S	145° 48'.15 E
--------	-------------------------	-------------	---------------

Aus 646 (plan, Madang Harbour) [147/2018]

Insert	depth, 6 ₇ m, enclosed by danger circle with legend <i>Wk</i>	5° 12'.958 S	145° 48'.232 E
--------	--------------------------------------------------------------------------	--------------	----------------

	depth, 6m, enclosed by danger circle with legend <i>Wk</i>	5° 12'.844 S	145° 48'.146 E
--	------------------------------------------------------------	--------------	----------------

	depth, 12 ₅ m, enclosed by danger circle with legend <i>Wks</i>	5° 12'.835 S	145° 48'.126 E
--	----------------------------------------------------------------------------	--------------	----------------

Replace	wreck, 12 ₅ m, with wreck, 11 ₆ m	5° 12'.95 S	145° 48'.00 E
---------	---------------------------------------------------------	-------------	---------------

Delete	depth, 7 ₃ m	5° 12'.97 S	145° 48'.24 E
--------	-------------------------	-------------	---------------

	depth, 9 ₈ m	5° 12'.84 S	145° 48'.15 E
--	-------------------------	-------------	---------------

	depth, 18 ₁ m	5° 12'.85 S	145° 48'.13 E
--	--------------------------	-------------	---------------

197 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Wreck

Surrich Hydrographics

Aus 26 [NE 10/3/2017]

Replace	wreck, 6m, with wreck, 3 ₉ m	12° 29'.92 S	130° 52'.67 E
---------	-----------------------------------------	--------------	---------------

198 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Anchorage area

UKHO

Aus 81 [151/2018]

Replace	anchoring prohibited limit, with magenta dashed line, between	28° 42'.67 S	114° 35'.06 E
---------	---------------------------------------------------------------	--------------	---------------

		28° 42'.84 S	114° 36'.03 E
--	--	--------------	---------------

199 AUSTRALIA - WESTERN AUSTRALIA - Marmion Reef - Light buoy

Department of Transport WA Notice 36/2018

Aus 754 [970/2017]

Insert	special conical light buoy, <i>Fl. Y. 2-5s</i> , without topmark	31° 51'.07 S	115° 38'.79 E
--------	------------------------------------------------------------------	--------------	---------------

200 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland to Esperance - Chart note

Australian Hydrographic Office

Note: position of existing chart notes may vary on certain charts.

Aus 52 [969/2017]			
Insert	accompanying note	20° 18'.50 S	118° 30'.52 E
Aus 56 [209/2017]			
Insert	accompanying note	20° 37'.80 S	117° 09'.75 E
Aus 58 [1017/2017]			
Insert	accompanying note	20° 37'.70 S	116° 49'.00 E
Aus 66 [647/2017]			
Insert	accompanying note	20° 48'.35 S	115° 27'.43 E
Aus 69 (plan, Port of Ashburton) [862/2017]			
Insert	accompanying note	21° 41'.21 S	114° 59'.20 E
Aus 81 [198/2018]			
Insert	accompanying note	28° 42'.45 S	114° 28'.15 E
Aus 110 [10/2018]			
Insert	accompanying note	34° 59'.85 S	118° 00'.20 E
Aus 113 [9/2018]			
Insert	accompanying note	32° 03'.41 S	115° 45'.27 E
Aus 115 (plan, Port of Bunbury) [1079/2017]			
Insert	accompanying note	33° 19'.80 S	115° 39'.80 E
Aus 119 (plan, Esperance) [551/2017]			
Insert	accompanying note	33° 51'.33 S	121° 53'.68 E

201 AUSTRALIA - WESTERN AUSTRALIA - Shark Bay - Elbow Shoal - Wreck

Australian Hydrographic Office

Aus 331 [964/2017]			
Replace	danger circle with legend Obstn, with, dangerous wreck	25° 02'.8 S	113° 32'.3 E

202 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Kingscote - Nav aids

Department of Planning, Transport and Infrastructure SA Notice 8/2018

Aus 129 [153/2018]			
Replace	light beacon with, east cardinal light beacon, Q(3)10s 3M, with topmark	35° 38'.4 S	137° 41'.7 E
	light beacon with, south cardinal light beacon, Q(6)+LFl. 15s 3M, with topmark	35° 40'.0 S	137° 41'.3 E
Aus 129 (plan, Kingscote) [153/2018]			
Insert	port lateral light beacon, Fl.R 2s 2M, with topmark	35° 37'.976 S	137° 38'.552 E
Delete	buoy	35° 39'.29 S	137° 38'.68 E
	beacon	35° 38'.10 S	137° 38'.65 E
Aus 485 [155/2018]			
Delete	light beacon	35° 38'.4 S	137° 41'.7 E
	light beacon	35° 40'.0 S	137° 41'.2 E
Aus 780 [153/2018]			
Replace	light beacon with, east cardinal light beacon, Q(3)10s 3M, with topmark	35° 38'.4 S	137° 41'.7 E
	light beacon with, south cardinal light beacon, Q(6)+LFl. 15s 3M, with topmark	35° 40'.0 S	137° 41'.3 E

203 AUSTRALIA - SOUTH AUSTRALIA - Streaky Bay - Point Gibson - Light beacon

Australian Hydrographic Office

Aus 341 [652/2017]

Insert	starboard lateral light beacon, <i>Fl.G.2s 3M</i> , with topmark	32° 31'.91 S	134° 07'.92 E
Amend	light to <i>Fl.3s 5M</i>	32° 40'.5 S	134° 09'.8 E
Delete	beacon	32° 31'.6 S	134° 08'.0 E
	beacon	32° 32'.1 S	134° 12'.9 E
	beacon	32° 38'.1 S	134° 14'.9 E
	light beacon	32° 44'.2 S	134° 14'.1 E

Aus 342 [1006/2014]

Insert	starboard lateral light beacon, <i>Fl.G.2s 3M</i> , with topmark	32° 31'.91 S	134° 07'.92 E
Amend	light to <i>Fl.3s 5M</i>	32° 40'.5 S	134° 09'.8 E
	light to <i>Fl.2.5s 9M</i>	34° 25'.8 S	135° 12'.4 E
Delete	beacon	32° 31'.6 S	134° 08'.0 E
	beacon	32° 32'.1 S	134° 12'.9 E
	beacon	32° 38'.1 S	134° 14'.9 E
	light beacon	32° 44'.2 S	134° 14'.1 E

204 AUSTRALIA - VICTORIA - Lakes Entrance - Hopetoun Channel - Light buoy

Gippsland Ports Notice 89/2018

Aus 182 (plan, Lakes Entrance) [104/2018]

Move	light buoy	37° 53'.32 S	147° 57'.85 E
	to	37° 53'.338 S	147° 57'.896 E
Delete	depth, 0,m	37° 53'.34 S	147° 57'.89 E

205 AUSTRALIA - VICTORIA - Phillip Island - Cape Woolamai - Rock

P Atkinson

Aus 150 [105/2018]

Insert	depth, 9m, enclosed by danger circle with legend <i>R</i> and <i>Rep</i> (2018)	38° 34'.35 S	145° 20'.24 E
Delete	depth, 20 ₃ m	38° 34'.3 S	145° 20'.4 E

Aus 150 (plan, Eastern Entrance to Western Port) [105/2018]

Insert	depth, 9m, enclosed by danger circle with legend <i>R</i> and <i>Rep</i> (2018)	38° 34'.354 S	145° 20'.244 E
--------	---------------------------------------------------------------------------------	---------------	----------------

Aus 801 [512/2017]

Insert	depth, 9m, enclosed by danger circle with legend <i>R</i> and <i>Rep</i> (2018)	38° 34'.35 S	145° 20'.24 E
Delete	depth, 20 ₃ m	38° 34'.3 S	145° 20'.4 E

206 AUSTRALIA - VICTORIA - Point Lonsdale - Pilot boarding place southwestwards

Victorian Ports Corporation (Melbourne) Notice 88/2018

Aus 349 [740/2017]

Insert	pilot boarding place, with legend <i>H</i>	38° 26'.50 S	144° 31'.60 E
--------	--------------------------------------------	--------------	---------------

Aus 788 [11/2017]

Insert	pilot boarding place, with legend <i>H</i>	38° 26'.50 S	144° 31'.60 E
--------	--------------------------------------------	--------------	---------------

Aus 801 [205/2018]

Insert	pilot boarding place, with legend <i>H</i>	38° 26'.50 S	144° 31'.60 E
--------	--------------------------------------------	--------------	---------------

207 AUSTRALIA - VICTORIA - Port Phillip - Point Cook - Beacons
Parks Victoria

Aus 155 [105/2018]

Delete	beacon	37° 55'.31 S	144° 48'.04 E
	beacon	37° 55'.70 S	144° 47'.72 E
	beacon	37° 55'.79 S	144° 47'.65 E

208(T)/2018 AUSTRALIA - NEW SOUTH WALES - Crowdy Head - Light buoy restored

Former Notice - 1073(T)/2016 is cancelled
Manly Hydraulics Laboratory

Cancel this notice on receipt.

Chart formerly affected - Aus 811

209(T)/2018 AUSTRALIA - NEW SOUTH WALES - Green Cape - Light buoy restored

Former Notice - 653(T)/2016 is cancelled
Manly Hydraulics Laboratory

Cancel this notice on receipt.

Chart formerly affected - Aus 806

210(T)/2018 AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Hyams Beach - Light buoy

Australian Maritime Warfare Centre

A special light buoy, *Fl.Y.5s*, exists in position 35° 06'.21 S 150° 42'.73 E.

Chart temporarily affected - Aus 193

211(T)/2018 AUSTRALIA - NEW SOUTH WALES - Newcastle - Nobbys Head - Light range reduced

Australian Maritime Safety Authority

The light, *Fl(2+1)20s 35m 21M* (32° 55'.11 S 151° 47'.90 E), has been altered to *Fl(2+1)20s 35m 10M*

Chart temporarily affected - Aus 207 - Aus 208 - Aus 489 - Aus 809 - Aus 4643 (INT 643)

212(T)/2018 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Western Channel - Scientific instrument recovered

Former Notice - 175(T)/2017 is cancelled
Port Authority of New South Wales Notice 5/2018

Cancel this notice on receipt.

Chart formerly affected - Aus 200 - Aus 201

213(T)/2018 AUSTRALIA - QUEENSLAND - Bribie Island - South Point - Shoaling

Maritime Safety Queensland

Shoaling exists at the southern end of Bribie Island, with a least depth of *0.5m* in position 27° 06'.18 S 153° 11'.24 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236

214(T)/2018 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Slain Island - Light beacon destroyed

Maritime Safety Queensland Notice 65/2018

The port lateral light beacon, *Fl.R.4s* (25° 32'.44 S 152° 55'.49 E), has been destroyed; a special light buoy, *Fl.2-5s* exists in situ.

Chart temporarily affected - Aus 240

215(T)/2018 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Oyster Point - Wreck

Maritime Safety Queensland

A stranded wreck marked by a special light buoy, *Fl.Y.3s*, exists in position 18° 16'.10 S 146° 03'.06 E.

Chart temporarily affected - Aus 259

216(T)/2018 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling

Former Notice - 163(T)/2018 is cancelled
Maritime Safety Queensland Notice 68(T)/2018

Shoaling exists from the end of the eastern breakwater (26° 40'.74 S 153° 07'.95 E) extending in a westerly direction towards the centreline of the channel.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 235

217(T)/2018 AUSTRALIA - QUEENSLAND - Point Danger - Scientific instrument

Maritime Safety Queensland Notice 66(T)/2018

A special light buoy, *Fl.Y.3s*, exists in position 28° 09'.55 S 153° 33'.16 E.

Chart temporarily affected - Aus 813 - Aus 814

218(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Bedout Island - Mooring buoys

Quadrant Energy

Four lit mooring buoys, *Fl.7s*, exist in the following positions.

18° 42'.90 S 118° 43'.02 E

18° 42'.57 S 118° 43'.78 E

18° 43'.31 S 118° 44'.13 E

18° 43'.64 S 118° 43'.37 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 326

219(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Subsea operations

McDermott Australia

Vessel *LV108* and support vessels are conducting subsea operations in an area bounded by the following positions:

14° 00'.0 S 123° 05'.0 E

14° 00'.0 S 123° 20'.0 E

13° 44'.0 S 123° 20'.0 E

13° 44'.0 S 123° 05'.0 E.

Mariners are advised to navigate with caution in the area. 2.5M clearance requested.

Chart temporarily affected - Aus 319 - Aus 320 - Aus 322 - Aus 4721 (INT 721) - Aus 4722 (INT 722)

220(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Eugene McDermott Shoal - Drilling operations

Fugro

Vessel *Fugro Voyager* is conducting drilling operations in the vicinity of position 12° 57'.90 S 124° 26'.50 E.

Mariners are advised to navigate with caution in the area. 1M clearance is requested.

Chart temporarily affected - Aus 319

221(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Holothuria Banks - Seismic surveyMV *Polarcus Naila*

MV *Polarcus Naila*, with a 9260m towed array, and support vessels *Mermaid Vantage* and *Empress* are conducting a seismic survey in an area bounded by the following positions:

13° 16'.54 S 126° 28'.60 E

13° 16'.94 S 127° 33'.93 E

12° 44'.45 S 127° 34'.28 E

12° 43'.87 S 126° 19'.93 E

13° 05'.23 S 126° 19'.71 E

Vessels will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area. 6M clearance requested.

Chart temporarily affected - Aus 315 - Aus 318 - Aus 728 - Aus 4721 (INT 721)**222(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Point Quobba - Light altered**

Australian Maritime Safety Authority Auscoast Warning 35/2018

The light, *Fl(4)20s 64m 16M* (24° 28'.79 S 113° 25'.10 E), has been altered to *Fl(4)16s 64m 12M*.

Chart temporarily affected - Aus 331 - Aus 746 - Aus 4725 (INT 725)**223(T)/2018 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Drill rig***Former Notice - 39(T)/2018 is cancelled*Australian Maritime Safety Authority, MODU *Ocean Apex*

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 4723 (INT 723)**224(T)/2018 AUSTRALIA - VICTORIA - Ninety Mile Beach - Seismic survey complete***Former Notice - 83(T)/2018 is cancelled*

RPS Group

Cancel this notice on receipt.

Chart formerly affected - Aus 357 - Aus 487**225(T)/2018 AUSTRALIA - VICTORIA - Port Phillip - Indented Head - Light beacon destroyed**

Parks Victoria Notice 82(T)/2018

The east cardinal beacon (38° 09'.26 S 144° 43'.81 E), has been destroyed; an east cardinal buoy exists in situ.

Chart temporarily affected - Aus 157**226(T)/2018 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Harbour works**

Parks Victoria Notice 90(T)/2018

Works are in progress in the vicinity of position 38° 04'.26 S 145° 07'.59 E.

An exclusion zone exists while works are in progress.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

227(T)/2018 AUSTRALIA - TASMANIA - Huon River - Killala Bay - Marine farm works
Marine and Safety Tasmania Notice 43/2018

Works are in progress in an area bounded by the following positions:

43° 12'.63 S 147° 00'.27 E
43° 12'.89 S 147° 00'.59 E
43° 13'.01 S 147° 00'.40 E
43° 12'.73 S 147° 00'.07 E.

Chart temporarily affected - Aus 173

228(T)/2018 AUSTRALIA - TASMANIA - Macquarie Harbour - Marine farm works
Marine and Safety Tasmania Notice 44, 47/2018

Works are in progress in the areas bounded by the following positions:

42° 16'.22 S 145° 20'.33 E
42° 16'.67 S 145° 20'.73 E
42° 16'.97 S 145° 20'.13 E
42° 16'.52 S 145° 19'.72 E
and
42° 19'.97 S 145° 24'.64 E
42° 20'.22 S 145° 25'.16 E
42° 21'.22 S 145° 24'.28 E
42° 20'.96 S 145° 23'.76 E.

Chart temporarily affected - Aus 177

II

HYDROGRAPHIC REPORTS

NIL

III

NAVIGATION WARNINGS

The Australian Hydrographic Office will no longer compile Section III of the Australian Notices to Mariners. For the most up to date navigation warnings please refer to:

AMSA Navigation Warnings

<http://amsa.gov.au/search-and-rescue/distress-and-safety-comms/msi/msi-email/index.asp>

New Zealand Notices to Mariners (Navarea XIV warnings)

<http://www.linz.govt.nz/sea/maritime-safety/notices-mariners>