



# AUSTRALIAN NOTICES TO MARINERS

## Notices 317 - 350

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN  
*Hydrographer of Australia*

---

### SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

### SUPPLEMENTS.

- I. **Tracings**
  - II. **Cumulative List of Australian Notices to Mariners.**
  - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
  - IV. **Temporary and Preliminary Notices in force.**
- 
- 

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

## IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

---

## GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

---

## REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail [datacentre@hydro.gov.au](mailto:datacentre@hydro.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).

---

## AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website ([www.hydro.gov.au](http://www.hydro.gov.au)) and through the eNotices (email) service ([www.hydro.gov.au/enotices/enotices.htm](http://www.hydro.gov.au/enotices/enotices.htm)).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service ([www.hydro.gov.au/prodserv/agents-list.htm](http://www.hydro.gov.au/prodserv/agents-list.htm)). Copies of the notices may not be sold for profit without prior written agreement.

## NUMERICAL INDEX OF NOTICES TO MARINERS

### Edition No 8

| Notices | Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs |
|---------|--|
| 317     | Aus 22, 115, 755                             |
| 318     | Aus 265                                      |
| 319     | Aus 258, 831                                 |
| 320     | Aus 236                                      |
| 321     | Aus 236                                      |
| 322     | Aus 4602, INT 602                            |
| 323     | Aus 763, 4709, INT 709                       |
| 324     | Aus 754                                      |
| 325     | Aus 53                                       |
| 326     | Aus 136, 778                                 |
| 327     | Aus 780                                      |
| 328     | Aus 485, 781                                 |
| 329     | Aus 167                                      |
| 330(T)  | Aus 265, 819, 820                            |
| 331(T)  | Aus 259                                      |
| 332(T)  | Aus 236                                      |
| 333(T)  | Aus 236                                      |
| 334(T)  | Aus 293, 299                                 |
| 335(T)  | Aus 25, 309                                  |
| 336(T)  | Aus 115                                      |
| 337(T)  | Aus 755                                      |
| 338(T)  | Aus 327                                      |
| 339(T)  | Aus 327                                      |
| 340(T)  | Aus 319, 320                                 |
| 341(T)  | Aus 64, 328, 743, 744                        |
| 342(T)  | Aus 120, 341, 342, 343, 4709, INT 709        |
| 343(T)  | Aus 136, 778                                 |
| 344(T)  | Aus 357, 487                                 |
| 345(T)  | Aus 349                                      |
| 346(T)  | Aus 349                                      |
| 347(T)  | Aus 157                                      |
| 348(T)  | Aus 155                                      |
| 349(T)  | Aus 173, 795                                 |
| 350(T)  | Aus 171                                      |

## NUMERICAL INDEX OF CHARTS AFFECTED

### Edition No 8

| Aus Chart | Notices                  |
|-----------|--------------------------|
| Aus 22    | 317                      |
| Aus 25    | 335(T)                   |
| Aus 53    | 325                      |
| Aus 64    | 341(T)                   |
| Aus 115   | 317, 336(T)              |
| Aus 120   | 342(T)                   |
| Aus 136   | 326, 343(T)              |
| Aus 155   | 348(T)                   |
| Aus 157   | 347(T)                   |
| Aus 167   | 329                      |
| Aus 171   | 350(T)                   |
| Aus 173   | 349(T)                   |
| Aus 236   | 320, 321, 332(T), 333(T) |
| Aus 258   | 319                      |
| Aus 259   | 331(T)                   |
| Aus 265   | 318, 330(T)              |
| Aus 293   | 334(T)                   |
| Aus 299   | 334(T)                   |
| Aus 309   | 335(T)                   |
| Aus 319   | 340(T)                   |
| Aus 320   | 340(T)                   |
| Aus 327   | 338(T), 339(T)           |
| Aus 328   | 341(T)                   |
| Aus 341   | 342(T)                   |
| Aus 342   | 342(T)                   |
| Aus 343   | 342(T)                   |
| Aus 349   | 345(T), 346(T)           |
| Aus 357   | 344(T)                   |
| Aus 485   | 328                      |
| Aus 487   | 344(T)                   |
| Aus 743   | 341(T)                   |
| Aus 744   | 341(T)                   |
| Aus 754   | 324                      |
| Aus 755   | 317, 337(T)              |
| Aus 763   | 323                      |
| Aus 778   | 326, 343(T)              |
| Aus 780   | 327                      |
| Aus 781   | 328                      |
| Aus 795   | 349(T)                   |
| Aus 819   | 330(T)                   |
| Aus 820   | 330(T)                   |
| Aus 831   | 319                      |
| Aus 4602  | 322                      |
| Aus 4709  | 323, 342(T)              |

| INT Chart | Notices     |
|-----------|-------------|
| INT 602   | 322         |
| INT 709   | 323, 342(T) |

### 317 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

#### New Charts

| Chart | Title and Geographical limits | Scale | Publication Date | Remarks |
|-------|-------------------------------|-------|------------------|---------|
| NIL   |                               |       |                  |         |

#### New Electronic Navigation Chart (Aus ENC)

| Cell Name | Title   | Scale | Publication Date | Remarks                |
|-----------|---|-------|------------------|------------------------|
| AU5ZBO01  | Australia - Queensland - Bowen                |       | 10/04/2025       | AU5268P1 is withdrawn. |
| AU5HPT01  | Australia - Queensland - Hay Point and Mackay |       | 10/04/2025       | AU5250P0 is withdrawn. |

#### New Editions and Withdrawn Charts

| Chart                  | Title   | Scale                    | Publication Date | Remarks  |
|------------------------|---|--------------------------|------------------|--|
| Aus 22<br>(Edition 2)  | Australia - North Coast - Northern Territory - Apsley Strait (Northern Sheet)<br>Plan:<br>Port Melville | 1:50 000<br><br>1:10 000 | 18/4/2025        | New edition with general updating throughout; including latest bathymetric data.<br><b>Chart Aus 22 Edition 1 dated 21 Nov 2008 is now superseded and must be withdrawn from use.</b>  |
| Aus 115<br>(Edition 8) | Australia - West Coast - Western Australia - Approaches to Bunbury                                      | 1:50 000                 | 18/4/2025        | New edition with general updating throughout; including latest bathymetric data.<br><b>Chart Aus 115 Edition 7 dated 19 Mar 2021 is now superseded and must be withdrawn from use.</b> |
| Aus 755<br>(Edition 4) | Australia - West Coast - Western Australia - Cape Peron to Cape Naturaliste                             | 1:150 000                | 18/4/2025        | New edition with general updating throughout; including latest bathymetric data.<br><b>Chart Aus 755 Edition 3 dated 21 Aug 2020 is now superseded and must be withdrawn from use.</b> |

#### Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at [www.hydro.gov.au](http://www.hydro.gov.au) for new edition and new chart stock arrival information.

**318 AUSTRALIA - Products - New Charts and New Editions to be published shortly**

Australian Hydrographic Office

**New Charts to be published shortly**

| Chart | Title | Scale | Remarks |
|-------|-------|-------|---------|
| NIL   |       |       |         |

**New Editions to be published shortly**

| Chart   | Title   | Scale                    | Remarks  |
|---------|---|--------------------------|--|
| Aus 265 | Australia - East Coast - Queensland - Approaches to Port Alma<br>Plan:<br>Port Alma | 1:25 000<br><br>1:10 000 | New edition with general updating throughout; including latest bathymetric data. |

**319 AUSTRALIA - QUEENSLAND - Bingil Bay to Trinity Bay - Nomenclature**

LADS Flight

**Aus 258 (Gladys Inlet to King Reefs) [91/2024]**

|       |                             |             |              |
|-------|-----------------------------|-------------|--------------|
| Amend | name to <i>Cowley Beach</i> | 17° 41'.6 S | 146° 06'.5 E |
|-------|-----------------------------|-------------|--------------|

**Aus 258 (Dunk Island) [91/2024]**

|       |                               |             |              |
|-------|-------------------------------|-------------|--------------|
| Amend | name to <i>Narragon Beach</i> | 17° 50'.9 S | 146° 06'.2 E |
|-------|-------------------------------|-------------|--------------|

**Aus 831 [127/2025]**

|        |                    |             |              |
|--------|--------------------|-------------|--------------|
| Delete | name, Devils Thumb | 16° 26'.7 S | 145° 17'.7 E |
|--------|--------------------|-------------|--------------|

**320 AUSTRALIA - QUEENSLAND - Mooloolaba - Depth***Former Notice - 256(T)/2025 is cancelled*

Maritime Safety Queensland Notice 128(T)/2025

**Aus 236 [NE 6/12/2024]**

|        |   |              |               |
|--------|---|--------------|---------------|
| Insert | contour, between<br><br><br>depth, 1 <sub>3</sub> m | 26° 40'.92 S | 153° 07'.82 E |
|        |   | 26° 40'.81 S | 153° 07'.79 E |
|        |   | 26° 40'.77 S | 153° 07'.88 E |
|        |   | 26° 40'.81 S | 153° 07'.94 E |
|        |   | 26° 40'.82 S | 153° 07'.82 E |

|        |                  |             |              |
|--------|------------------|-------------|--------------|
| Delete | contour, between | 26° 40'.9 S | 153° 07'.8 E |
|        |                  | 26° 40'.8 S | 153° 07'.9 E |

**321 AUSTRALIA - QUEENSLAND - Moreton Bay - Chain Banks - Depths**

Australian Hydrographic Office , Maritime Safety Queensland

**Aus 236 [320/2025]**

|        |  |             |              |
|--------|--|-------------|--------------|
| Insert | <a href="#">accompanying ZOC diagram</a><br><a href="#">accompanying block</a> | 27° 12'.0 S | 153° 31'.5 E |
|        |  | 27° 25'.7 S | 153° 17'.4 E |

**322 AUSTRALIA - QUEENSLAND - North Stradbroke Island to Point Cartwright - Fish aggregating devices**

Department of Agriculture and Fisheries

**Aus 4602 (INT 602) [949/2024]**

|        |   |             |              |
|--------|---|-------------|--------------|
| Insert | depth, 25m, enclosed by danger circle with legend, <i>FAD</i> | 26° 40'.7 S | 153° 41'.2 E |
|        | depth, 25m, enclosed by danger circle with legend, <i>FAD</i> | 27° 01'.1 S | 153° 47'.6 E |
|        | depth, 25m, enclosed by danger circle with legend, <i>FAD</i> | 27° 25'.7 S | 153° 51'.3 E |

**323 AUSTRALIA - WESTERN AUSTRALIA - Archipelago of the Recherche - Chester Reef - Depths**

EGS Survey Pty Ltd

**Aus 763 [260/2022]**Insert [accompanying block](#) 34° 28'.7 S 123° 36'.0 E**Aus 4709 (INT 709) [248/2025]**Replace depth, 10<sub>4</sub>m, with depth, 8<sub>3</sub>m 34° 27'.8 S 123° 35'.8 E**324 AUSTRALIA - WESTERN AUSTRALIA - Ocean Reef Boat Harbour - Light; depths**

Department of Transport WA Notice WA398/3/2025

**Aus 754 [243/2025]**Insert [accompanying block](#) 31° 44'.0 S 115° 44'.0 E**325 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Depths**

Precision Hydrographic Services

**Aus 53 [246/2025]**

Insert contour, between 20° 13'.87 S 118° 34'.06 E

20° 13'.98 S 118° 34'.04 E

20° 14'.23 S 118° 34'.08 E

20° 14'.56 S 118° 34'.15 E

depth, 9<sub>9</sub>m, enclosed by contour 20° 13'.69 S 118° 33'.62 E

Delete contour, between 20° 13'.9 S 118° 34'.1 E

20° 14'.1 S 118° 33'.9 E

20° 14'.4 S 118° 34'.0 E

depth, 9<sub>2</sub>m 20° 14'.4 S 118° 34'.1 E**326 AUSTRALIA - SOUTH AUSTRALIA - Germein Bay - Depths**

Australian Hydrographic Office

**Aus 136 [18/2025]**Insert [accompanying block](#) 33° 04'.6 S 137° 58'.6 E**Aus 778 [18/2025]**Insert [accompanying block](#) 33° 04'.6 S 137° 58'.6 E**327 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Dudley Peninsula - Kangaroo Head - Pipeline**

Department for Infrastructure and Transport SA Notice 29/2025

**Aus 780 [170/2025]**

Insert intake pipeline, between 35° 43'.02 S 137° 55'.09 E

35° 43'.20 S 137° 55'.07 E

**328 AUSTRALIA - SOUTH AUSTRALIA - Yorke Peninsula - Stansbury - Light**

Department for Infrastructure and Transport SA Notice 26/2025

**Aus 485 [248/2025]**

Delete light 34° 54'.2 S 137° 47'.9 E

**Aus 781 [208/2025]**

Amend light range to 2M 34° 54'.2 S 137° 47'.9 E

**329 AUSTRALIA - TASMANIA - Kanamaluka/River Tamar - West Arm - Pipeline; light buoy**

Marine and Safety Tasmania Notice M188/2025

**Aus 167 [NE 16/8/2024]**

Insert outfall pipeline, between 41° 08'.809 S 146° 48'.178 E

41° 08'.714 S 146° 48'.138 E

special spar light buoy, Fl.Y.3s, without topmark 41° 08'.714 S 146° 48'.138 E

**330(T)/2025 AUSTRALIA - QUEENSLAND - Cape Capricorn to Yeppoon - Obstructions**

Maritime Safety Queensland Notice 137(T)/2025

The Fitzroy River is experiencing increased outflows resulting in reports of partially submerged debris, dislodged vegetation and other hazards which may pose a hazard to navigation in coastal waters between Yeppoon and Cape Capricorn.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 265 - Aus 819 - Aus 820**

**331(T)/2025 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Oyster Rock to Haycock Island - Light buoys off station**

Maritime Safety Queensland Notice 135(T)/2025, 136(T)/2025, 138(T)/2025

The following light buoys are off station:

| <i>Position</i>            | <i>Remarks</i>                                    |
|----------------------------|---|
| 18° 29'.59 S 146° 16'.41 E | starboard lateral light buoy, <i>Fl.G.3s No13</i> |
| 18° 28'.34 S 146° 12'.99 E | port lateral light buoy, <i>Fl.R.2.5s No14</i>    |
| 18° 28'.88 S 146° 13'.41 E | port lateral light buoy, <i>Q.R No16</i> .        |

**Chart temporarily affected - Aus 259**

**332(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Amity Point - Scientific instrument**

Maritime Safety Queensland Notice 127(T)/2025

A lit scientific platform, *Q.Y*, exists in position 27° 23'.35 S 153° 26'.22 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 236**

**333(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Deception Bay - Wreck salvaged**

*Former Notice - 905(T)/2024* is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

**Chart formerly affected - Aus 236**

**334(T)/2025 AUSTRALIA - TORRES STRAIT - Holmes Reef - Wreck**

Maritime Safety Queensland

A stranded wreck marked by a special light buoy, *Fl.Y.4s*, exists in position 10° 36'.23 S 142° 14'.17 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 293 - Aus 299**

**335(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Darwin - Middle Passage - Wreck**

*Former Notice - 259(T)/2025* is cancelled

Northern Territory Government

Cancel this notice on receipt.

**Chart formerly affected - Aus 25 - Aus 309**

**336(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Harbour works**

*Former Notice* - 219(P)/2025 is cancelled  
Department of Transport WA Notice WA859/15/2025

Works associated with the construction of a new breakwater at the entrance to Casuarina Harbour are in progress between positions 33° 18'.67 S 115° 38'.63 E and 33° 18'.48 S 115° 38'.51 E.

Mariners should navigate between the lateral light buoys in the vicinity of position 33° 18'.67 S 115° 38'.61 E to follow the change in channel position.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 115****337(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Geographe Bay - Eagle Bay - Light buoy off station**

Department of Transport WA Notice 6398/2025

The special light buoy, *Fl. Y. 3s* (33° 33'.01 S 115° 05'.17 E), is off station.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 755****338(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwestwards**

*Former Notice* - 878(T)/2024 is cancelled  
MODU *Ocean Apex*

Drill rig *Ocean Apex* is conducting drilling operations in position 19° 18'.59 S 116° 33'.68 E.

**Chart temporarily affected - Aus 327****339(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig**

Woodside Energy Ltd

On or about 21 April 2025, drill rig *Transocean Endurance* will be conducting drilling operations in position 19° 26'.20 S 116° 28'.82 E.

**Chart temporarily affected - Aus 327****340(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Heywood Shoal - Pipe laying operations; survey operations**

*Former Notice* - 186(T)/2025 is cancelled  
Northern Territory Government Notice 13(T)/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 319 - Aus 320**

**341(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island - Subsea operations**  
Chevron Australia

Diving and mooring removal activities are in progress in the following positions:

21° 38'.17 S 114° 55'.43 E  
21° 26'.42 S 115° 03'.24 E  
21° 24'.00 S 115° 02'.55 E  
21° 24'.33 S 115° 02'.79 E  
21° 24'.35 S 115° 02'.82 E  
21° 24'.36 S 115° 02'.94 E  
21° 24'.15 S 115° 03'.07 E  
21° 24'.06 S 115° 03'.00 E  
21° 24'.05 S 115° 02'.97 E  
21° 24'.27 S 115° 02'.97 E  
21° 24'.00 S 115° 02'.86 E  
21° 24'.13 S 115° 02'.62 E.

Vessels will display appropriate lights and shapes and will monitor VHF Ch 14 and Ch 16.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 64 - Aus 328 - Aus 743 - Aus 744**

**342(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Nuyts Archipelago - Satellite re-entry southwards**  
*Former Notice - 149(T)/2025 is cancelled*  
Southern Launch

Satellite re-entry will occur during the period 10 May to 31 May 2025.

Satellite debris may impact the waters within an area bounded by the following positions:

35° 36'.0 S 132° 54'.0 E  
35° 36'.0 S 134° 54'.0 E  
34° 09'.0 S 134° 54'.0 E  
32° 00'.0 S 133° 57'.0 E  
32° 00'.0 S 132° 54'.0 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 120 - Aus 341 - Aus 342 - Aus 343 - Aus 4709 (INT 709)**

**343(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Spencer Gulf - Port Bonython - Light buoy restored**  
*Former Notice - 724(T)/2024 is cancelled*  
Department for Infrastructure and Transport SA Notice 50(T)/2024

Cancel this notice on receipt.

**Chart formerly affected - Aus 136 - Aus 778**

**344(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig**  
MODU *Valaris 107*

Drill rig *Valaris 107* is conducting drilling operations in position 38° 19'.3 S 147° 29'.1 E.

**Chart temporarily affected - Aus 357 - Aus 487**

**345(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Safety zones southwards**  
NOPSEMA

On 1 May 2025, a 500m radius safety zone will exist centred on positions 39° 06'.70 S 142° 55'.73 E and 39° 14'.37 S 142° 54'.82 E.

**Chart temporarily affected - Aus 349**

**346(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations completed southwards**

*Former Notice* - 194(T)/2025 is cancelled  
Australian Maritime Safety Authority

Cancel this notice on receipt.

**Chart formerly affected - Aus 349****347(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Kirk Point - Light relit**

*Former Notice* - 312(T)/2025 is cancelled  
Parks Victoria Notice 190/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 157****348(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Beaumaris Bay - Obstruction**

Parks Victoria

An above water obstruction exists in position 37° 59'.38 S 145° 02'.83 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 155****349(T)/2025 AUSTRALIA - TASMANIA - Bruny Island - Labillardiere Peninsula - Point Labillardiere - Scientific instrument recovered**

*Former Notice* - 308(T)/2024 is cancelled  
Marine and Safety Tasmania Notice M186(T)/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 173 - Aus 795****350(T)/2025 AUSTRALIA - TASMANIA - River Derwent - Wrest Point - Wreck salvaged**

*Former Notice* - 315(T)/2025 is cancelled  
Marine and Safety Tasmania Notice M193/2025

Cancel this notice on receipt.


**Chart formerly affected - Aus 171**

II

**HYDROGRAPHIC REPORTS**

NIL


To accompany Australian Notice to Mariners 321/2025



Block for chart Aus 236

(96.9 x 62.6mm)

To accompany Australian Notice to Mariners 321/2025




Block for chart Aus 236

(65.2 x 111.5mm)

© Commonwealth of Australia 2025

To accompany Australian Notice to Mariners 323/2025




Block for chart Aus 763

(67.0 x 58.2mm)

© Commonwealth of Australia 2025

To accompany Australian Notice to Mariners 324/2025




Block for chart Aus 754


(84.6 x 61.6mm)

© Commonwealth of Australia 2025

To accompany Australian Notice to Mariners 326/2025



To accompany Australian Notice to Mariners 326/2025



Block for chart Aus778

(74.2 x 126.0mm)

© Commonwealth of Australia 2025