



29 May 2020

Edition 11

AUSTRALIAN NOTICES TO MARINERS

Notices 407 - 444

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore F.T. FREEMAN RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2020

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datapcentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 11

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
407	Aus 614, 652, PNG 652
408	Aus 280, 281, 621, 627
409	Amendment to Australian National Tide Tables 2020
410	Aus 812, 813
411	Aus 200
412	Aus 235, 815
413	Aus 389
414	Aus 24, 28
415	Aus 311, 312, 313
416	Aus 357, 487
417	Aus 143, 155
418	Aus 171, 173
419(T)	Aus 813, 4602, 4635, 4643, INT 602, 635, 643
420(T)	Aus 489, 809
421(T)	Aus 827
422(T)	Aus 235, 814, 815
423(T)	Aus 237
424(T)	Aus 238
425(T)	Aus 264
426(T)	Aus 244, 245, 246
427(T)	Aus 244, 245, 271
428(T)	Aus 241
429(T)	Aus 250
430(T)	Aus 236
431(T)	Aus 256, 257
432(T)	Aus 4604, 4622, INT 604, 622, PNG 545, 554, 679, 680
433(T)	Aus 4604, 4622, INT 604, 622, PNG 545, 554, 680
434(T)	Aus 391, 662
435(T)	Aus 319, 320
436(T)	Aus 328, 4723, INT 723
437(T)	Aus 144, 158
438(T)	Aus 143, 155
439(T)	Aus 143
440(T)	Aus 154
441(T)	Aus 172
442(T)	Aus 172
443(T)	Aus 172
444(T)	Aus 173

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 11

Aus Chart	Notices
Aus 24	414
Aus 28	414
Aus 143	417, 438(T), 439(T)
Aus 144	437(T)
Aus 154	440(T)
Aus 155	417, 438(T)
Aus 158	437(T)
Aus 171	418
Aus 172	441(T), 442(T), 443(T)
Aus 173	418, 444(T)
Aus 200	411
Aus 235	412, 422(T)
Aus 236	430(T)
Aus 237	423(T)
Aus 238	424(T)
Aus 241	428(T)
Aus 244	426(T), 427(T)
Aus 245	426(T), 427(T)
Aus 246	426(T)
Aus 250	429(T)
Aus 256	431(T)
Aus 257	431(T)
Aus 264	425(T)
Aus 271	427(T)
Aus 280	408
Aus 281	408
Aus 311	415
Aus 312	415
Aus 313	415
Aus 319	435(T)
Aus 320	435(T)
Aus 328	436(T)
Aus 357	416
Aus 389	413
Aus 391	434(T)
Aus 487	416
Aus 489	420(T)
Aus 614	407
Aus 621	408
Aus 627	408
Aus 652	407
Aus 662	434(T)
Aus 809	420(T)
Aus 812	410
Aus 813	410, 419(T)
Aus 814	422(T)
Aus 815	412, 422(T)
Aus 827	421(T)
Aus 4602	419(T)
Aus 4604	432(T), 433(T)
Aus 4622	432(T), 433(T)
Aus 4635	419(T)
Aus 4643	419(T)
Aus 4723	436(T)

Aus Chart	Notices
PNG 545	432(T), 433(T)
PNG 554	432(T), 433(T)
PNG 652	407
PNG 679	432(T)
PNG 680	432(T), 433(T)

INT Chart	Notices
INT 602	419(T)
INT 604	432(T), 433(T)
INT 622	432(T), 433(T)
INT 635	419(T)
INT 643	419(T)
INT 723	436(T)

407 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
PNG 652	Papua New Guinea - North Coast - Plans in Papua New Guinea (Sheet 4) Plans: Aitape Roads 2° 38'·88 S – 3° 04'·20 S 142° 20'·50 E – 142° 33'·70 E Aitape 3° 07'·67 S – 3° 08'·80 S 142° 21'·00 E – 142° 22'·03 E Vanimo Harbour 2° 38'·88 S – 2° 42'·30 S 141° 15'·60 E – 141° 20'·00 E	1:37 500 1:12 500 1:12 500	29 May 2020	Adoption of Papua New Guinea chart numbering. Replaces Aus 652. General updating throughout; including latest bathymetric data.

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
AU6KUR01	Kurnell Basin	28 May 2020	

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 614 (Edition 3)	Australia - East Coast - Coral Sea - Diamond Passage Plans: East Diamond Islet Turtle Islet	1:150 000 1:25 000 1:25 000	29 May 2020	New edition with general updating throughout; including latest bathymetric data. Chart Aus 614 Edition 2 dated 2 July 2010 is now superseded and must be withdrawn from use.

Charts withdrawn

<i>Chart</i>	<i>Remarks</i>
Aus 652	On publication of new chart PNG 652

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

408 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
PNG 621	Papua New Guinea - South Coast - Approaches to Port Moresby	1:37 500	Adoption of Papua New Guinea chart numbering. Replaces Aus 621. General updating throughout; including latest bathymetric data.
PNG 627	Papua New Guinea - North East Coast - Jomard Entrance		Adoption of Papua New Guinea chart numbering. Replaces Aus 627. General updating throughout; including latest bathymetric data.

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

Charts to be withdrawn

<i>Chart</i>	<i>Remarks</i>
Aus 621	On publication of new chart PNG 621
Aus 627	On publication of new chart PNG 627

Charts to be withdrawn without replacement 27 June 2020

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>
Aus 280 Edition 5	Australia - East Coast - Queensland - Plans in Queensland (Sheet 3) Plans: Magpie Reef to Eden Reef Flinders Group	1:75 000 1:50 000	22 February 2019
Aus 281 Edition 3	Australia - East Coast - Queensland - First Three Mile Opening to Cape Direction	1:75 000	22 February 2019

409 AUSTRALIA - Product - Amendment to Australian National Tide Tables 2020

Australian Hydrographic Office

ANTT 2020

Page 367

<i>Delete</i>	MADANG To Chart Datum AUS 387 NC 12 OCT 2007 0.0
<i>Insert</i>	MADANG To Chart Datum PNG 387 NC 15 MAY 2020 0.0

410 AUSTRALIA - NEW SOUTH WALES - Clarence Head - Light

UKHO

Aus 812 [303/2020]			
Amend	light to <i>Fl(3)14M & F.Bu</i>	29° 25'.9 S	153° 21'.9 E
Aus 813 [303/2020]			
Amend	light to <i>Fl(3)14M & F.Bu</i>	29° 25'.9 S	153° 21'.9 E

411 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Middle Harbour - Sailors Bay - Wreck

Port Authority of New South Wales , Hydrographic and Cadastral Survey Pty Ltd

Aus 200 [334/2020]Insert depth, 10m, enclosed by danger circle with legend, *Wk* 33° 48'.276 S 151° 13'.803 E**412 AUSTRALIA - QUEENSLAND - Barwon Bank - Fish aggregating devices**

Maritime Safety Queensland Notice 172(T)/2020

Aus 235 [230/2020]Move light buoy to 26° 45'.0 S 153° 27'.7 E
26° 44'.76 S 153° 27'.19 E**Aus 815 [273/2020]**Move light buoy to 26° 19'.9 S 153° 19'.3 E
light buoy to 26° 15'.56 S 153° 19'.75 E
light buoy to 26° 34'.5 S 153° 33'.9 E
light buoy to 26° 32'.15 S 153° 34'.43 E
light buoy to 26° 45'.0 S 153° 27'.7 E
light buoy to 26° 44'.76 S 153° 27'.19 E**413 PAPUA NEW GUINEA - Aitape to Vanimo Harbour - Chart name**

Australian Hydrographic Office

Aus 389 [1240/2019]Amend legend to PNG 652 2° 38'.6 S 141° 19'.0 E
legend to PNG 652 3° 04'.5 S 142° 32'.7 E
legend to PNG 652 3° 28'.9 S 141° 37'.2 E
legend to PNG 652 3° 31'.6 S 141° 43'.3 E**414 AUSTRALIA - NORTHERN TERRITORY - Darwin - Wrecks**

Surrich Hydrographics

Aus 24 [98/2020]Replace wreck depth, 12₁m, with wreck depth, 12₄m 12° 29'.27 S 130° 49'.11 EMove wreck to 12° 28'.36 S 130° 50'.62 E
12° 28'.346 S 130° 50'.603 E**Aus 28 [1195/2019]**Replace wreck depth, 16₆m, with wreck depth, 15₃m 12° 29'.35 S 130° 52'.37 E
wreck depth, 3₃m, with wreck depth, 4m 12° 29'.74 S 130° 53'.82 EMove wreck to 12° 28'.36 S 130° 50'.62 E
12° 28'.346 S 130° 50'.603 E

415 TIMOR-LESTE - Pulau Jaco - Depths

Geoscience Australia GA4396

Aus 311 [145/2020]

Insert	accompanying block	8° 35'.0 S	127° 23'.0 E
Delete	contour, between	9° 13'.3 S	127° 11'.0 E
		9° 09'.5 S	127° 13'.6 E
		9° 06'.4 S	127° 16'.7 E
	depth, 1752m	9° 04'.7 S	127° 15'.0 E
	depth, 1918m	9° 06'.0 S	127° 12'.3 E
	depth, 2023m	9° 07'.9 S	127° 15'.0 E
	depth, 1900m	9° 08'.3 S	127° 12'.6 E
	depth, 1939m	9° 10'.9 S	127° 12'.8 E
	depth, 2955m	9° 15'.3 S	127° 13'.9 E

Aus 312 [12/2019]

Insert	accompanying block A	8° 45'.0 S	127° 13'.0 E
	accompanying block B	9° 15'.0 S	127° 13'.0 E

Aus 313 [874/2019]

Insert	accompanying block A	8° 43'.0 S	127° 18'.0 E
	out of position depth, 1038m	8° 53'.16 S	127° 09'.57 E
	out of position depth, 1143m	8° 55'.63 S	127° 10'.53 E
	depth, 1331m	8° 56'.03 S	127° 13'.14 E
	out of position depth, 1504m	8° 58'.13 S	127° 11'.33 E
	depth, 1635m	8° 58'.52 S	127° 14'.27 E
	accompanying block B	9° 15'.0 S	127° 18'.0 E

416 AUSTRALIA - VICTORIA - Golden Beach - Restricted areas southeastwards

National Offshore Petroleum Safety and Environmental Management Authority

Aus 357 [23/2020]

Delete	restricted area, centred on	38° 15'.0 S	147° 29'.1 E
	restricted area, centred on	38° 41'.7 S	148° 44'.8 E

Aus 487 [379/2020]

Delete	restricted area, centred on	38° 15'.0 S	147° 29'.1 E
	restricted area, centred on	38° 41'.7 S	148° 44'.8 E

417 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Light buoy

Parks Victoria Notice 154/2020

Aus 143 [378/2020]

Move	light buoy	38° 01'.8 S	145° 02'.4 E
	to	38° 01'.60 S	145° 03'.20 E

Aus 155 [1321/2019]

Move	light buoy	38° 01'.8 S	145° 02'.4 E
	to	38° 01'.60 S	145° 03'.20 E

418 AUSTRALIA - TASMANIA - Quarantine Bay - Buoy; wreck

Marine and Safety Tasmania Notice M064/2020, M073/2020

Aus 171 [380/2020]

Insert	out of position blue and yellow spar buoy without topmark	43° 07'.66 S	147° 20'.01 E
	safe clearance depth, 12m, enclosed by danger circle with legend, <i>Wk</i> <i>PA</i>	43° 07'.66 S	147° 20'.01 E

Aus 173 [1096/2019]

Insert	blue and yellow spar buoy without topmark	43° 07'.66 S	147° 20'.01 E
--------	---	--------------	---------------

419(T)/2020 AUSTRALIA - NEW SOUTH WALES - Cape Byron - Light altered

Australian Maritime Safety Authority Ausoast Warning 197/2020

The light, *Fl. 15s 118m 27M & F.R. 8M* (28° 38'.30 S 153° 38'.18 E), has been temporarily altered to *Fl. 15s 118m 15M & F.R. 8M* with sectors White 20° - 160° (140°), Red 148° - 189° (41°).

Chart temporarily affected - Aus 813 - Aus 4602 (INT 602) - Aus 4635 (INT 635) - Aus 4643 (INT 643)

420(T)/2020 AUSTRALIA - NEW SOUTH WALES - Nobbys Head - Obstructions eastwards removed

Former Notice - 682(T)/2018 is cancelled

Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 489 - Aus 809

421(T)/2020 AUSTRALIA - QUEENSLAND - Acheron Island - Live firing completed

Former Notice - 382(T)/2020 is cancelled

Maritime Safety Queensland Notice 166(T)/2020

Cancel this notice on receipt.

Chart formerly affected - Aus 827

422(T)/2020 AUSTRALIA - QUEENSLAND - Bribie Island - North West Channel - Wreck salvaged

Former Notice - 1012(T)/2019 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 235 - Aus 814 - Aus 815

423(T)/2020 AUSTRALIA - QUEENSLAND - Brisbane River - Boggy Creek - Harbour works completed

Former Notice - 156(T)/2020 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 237

424(T)/2020 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Harbour works completed

Former Notice - 103(T)/2020 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 238

425(T)/2020 AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Subsea operations

Maritime Safety Queensland

The barge *Carpentaria Constructor* is conducting salvage operations in the vicinity of position 16° 58'.14 S 145° 47'.44 E.

The area is marked by special light buoys with flashing white lights.

Mariners are advised to keep clear of the operations and to navigate with caution in the area. A 60m clearance is requested.

Chart temporarily affected - Aus 264

426(T)/2020 AUSTRALIA - QUEENSLAND - Gladstone - South Trees Island - Scientific instrument
Maritime Safety Queensland Notice 171(T)/2020

A scientific instrument marked by a light buoy, *Fl.Y.6s*, exists in position 23° 51'.71 S 151° 19'.62 E.

Chart temporarily affected - Aus 244 - Aus 245 - Aus 246

427(T)/2020 AUSTRALIA - QUEENSLAND - Gladstone Boat Harbour - Dredging operations
Maritime Safety Queensland Notice 174(T)/2020

The dredge *Saibai* and support vessel *Mudgee* are conducting dredging operations in an area bounded by the coast and the following positions:

23° 49'.97 S 151° 14'.49 E
23° 49'.91 S 151° 14'.49 E
23° 49'.85 S 151° 14'.58 E
23° 49'.91 S 151° 14'.93 E
23° 50'.03 S 151° 14'.93 E.

A semi submerged pipeline exists in the area. The pipeline is marked by special light buoys, *Fl.Y.1-5s*, in the following positions:

23° 49'.79 S 151° 14'.46 E
23° 49'.81 S 151° 14'.53 E
23° 49'.83 S 151° 14'.57 E
23° 49'.84 S 151° 14'.61 E
23° 49'.86 S 151° 14'.66 E
23° 49'.88 S 151° 14'.71 E
23° 49'.90 S 151° 14'.80 E
23° 49'.93 S 151° 14'.85 E.

A designated safe crossing is marked by a starboard lateral light buoy, *Fl.G.1-5s* (23° 49'.84 S 151° 14'.58 E), and a port lateral light buoy, *Fl.R.1-5s* (23° 49'.84 S 151° 14'.60 E), for vessels requiring access.

Vessels should contact the dredge on VHF Ch 16 should the dredge or pipeline impede their safe passage and are advised to make contact prior to passing the dredge and support vessel.

The dredge will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 244 - Aus 245 - Aus 271

428(T)/2020 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Mary River - Leslie Reach - Light beacon destroyed
Maritime Safety Queensland Notice 141(T)/2020

The light beacon, *Fl.R.3s* (25° 30'.49 S 152° 46'.90 E), has been destroyed.

Chart temporarily affected - Aus 241

429(T)/2020 AUSTRALIA - QUEENSLAND - Mackay - Obstruction; light buoy
Maritime Safety Queensland Notice 183/2020

An obstruction marked by a special light buoy exists in position 21° 06'.43 S 149° 13'.52 E.

Chart temporarily affected - Aus 250

430(T)/2020 AUSTRALIA - QUEENSLAND - Moreton Bay - Waterloo Bay - Dredging operations completed
Former Notice - 162(T)/2020 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 236

431(T)/2020 AUSTRALIA - QUEENSLAND - Townsville - Dredging operations

Maritime Safety Queensland Notice 187(T)/2020

The dredge *Brisbane* is conducting dredging operations in the Sea Channel, Platypus Channel and Inner and Outer Harbour.

The dredge will monitor VHF Ch 12 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 257**432(T)/2020 PAPUA NEW GUINEA - Duke of York Island to Gazelle Peninsula - Nav aids relit**

Former Notice - 393(T)/2020 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 11/2020

Cancel this notice on receipt.

Chart formerly affected - Aus 4604 (INT 604) - Aus 4622 (INT 622) - PNG 545 - PNG 554 - PNG 679 - PNG 680**433(T)/2020 PAPUA NEW GUINEA - Gazelle Peninsula - Lights unlit**

National Maritime Safety Authority PNG Coastal Navigation Warning 4/2020, 5/2020

The following nav aids are unlit;

<i>Position</i>	<i>Remarks</i>
4° 08'.16 S 152° 10'.20 E	light, <i>Fl.8s 47m 18M</i>
4° 11'.71 S 152° 10'.08 E	light, <i>Fl.5s 38m 8M</i>

Chart temporarily affected - Aus 4604 (INT 604) - Aus 4622 (INT 622) - PNG 545 - PNG 554 - PNG 680**434(T)/2020 PAPUA NEW GUINEA - Los Negros Island - Nahuchie Point - Light relit**

Former Notice - 395(T)/2020 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 12/2020

Cancel this notice on receipt.

Chart formerly affected - Aus 391 - Aus 662**435(T)/2020 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Light buoy off station northwestwards**

Shell Australia

The orange light buoy, Q(5)Y.20s (13° 48'.75 S 123° 17'.18 E), is off station.

Chart temporarily affected - Aus 319 - Aus 320**436(T)/2020 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Subsea operations northwestwards**

Woodside Energy Ltd

MV *Skandi Singapore* and support vessels will be conducting subsea operations in positions 20° 06'.88 S 115° 02'.44 E and 20° 08'.88 S 115° 02'.47 E.

Mariners are advised to navigate with caution in the area. 0.27M clearance requested.

Chart temporarily affected - Aus 328 - Aus 4723 (INT 723)**437(T)/2020 AUSTRALIA - VICTORIA - Port Phillip - Point Nepean - Light buoy restored**

Former Notice - 217(T)/2020 is cancelled

Parks Victoria Notice 155/2020

Cancel this notice on receipt.

Chart formerly affected - Aus 144 - Aus 158

438(T)/2020 AUSTRALIA - VICTORIA - Port Phillip - Drill rig
 MODU *Ocean Onyx* , Victorian Ports Corporation (Melbourne) Notice 158(T)/2020

Drill rig *Ocean Onyx* is moored in position 37° 58'.73 S 144° 46'.54 E.

A 500m exclusion zone exists around the drill rig.

Chart temporarily affected - Aus 143 - Aus 155

439(T)/2020 AUSTRALIA - VICTORIA - Port Phillip - Exclusion zone
Former Notice - 359(T)/2020 is cancelled
 Victorian Ports Corporation (Melbourne) Notice 158(T)/2020, MODU *Ocean Onyx*

Cancel this notice on receipt.

Chart formerly affected - Aus 143

440(T)/2020 AUSTRALIA - VICTORIA - Port Phillip - Yarra River - Swanson Dock - Harbour works completed
Former Notice - 77(T)/2020 is cancelled
 Victorian Ports Corporation (Melbourne) Notice 163(T)/2020

Cancel this notice on receipt.

Chart formerly affected - Aus 154

441(T)/2020 AUSTRALIA - TASMANIA - Hobart - Lutana - Nyrstar Wharf - Pipeline
Former Notice - 403(T)/2020 is cancelled
 Nyrstar , Marine and Safety Tasmania Notice M072/2020, M085/2020

A floating pipeline marked by red buoys exists in the vicinity of position 42° 49'.75 S 147° 19'.02 E. A special light buoy, *Fl.3s*, exists in position 42° 49'.74 S 147° 19'.03 E .

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 172

442(T)/2020 AUSTRALIA - TASMANIA - Hobart - Lutana - Nyrstar Wharf - Light unlit
 Nyrstar , Marine and Safety Tasmania Notice M083/2020

The light, *F.R* (42° 49'.74 S 147° 19'.01 E), is unlit.

Chart temporarily affected - Aus 172

443(T)/2020 AUSTRALIA - TASMANIA - River Derwent - Bellerive - Harbour works
 Marine and Safety Tasmania Notice M081/2020

Works associated with the construction of a pier are in progress in the vicinity of position 42° 52'.43 S 147° 21'.88 E.

The area is marked by buoys with flashing yellow lights. The outermost buoy is positioned at 42° 52'.42 S 147° 21'.80 E.

The barge is lit with a white light and piles when driven will be marked by yellow lights.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 172

444(T)/2020 AUSTRALIA - TASMANIA - Storm Bay - Buoy restored

Former Notice - 598(T)/2018 is cancelled

Marine and Safety Tasmania

Cancel this notice on receipt.

Chart formerly affected - Aus 173

II

HYDROGRAPHIC REPORTS

NIL