



AUSTRALIAN NOTICES TO MARINERS

Notices 808 - 823

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore S.T. DUNNE RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2021

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datapcentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 19

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
808	Products - New Charts and New Editions to be published shortly
809	Products - New Charts, New Editions, Withdrawn Charts
810	Amendment to Australian National Tide Tables 2021
811	Aus 268
812	Aus 4604, 4620, 4621, INT 604, 620, 621
813	Aus 4620, 4621, INT 620, 621
814	Aus 20, 720, 722
815	Aus 57
816	Aus 155
817	Aus 155
818(T)	Aus 268
819(T)	Aus 235, 815
820(T)	Aus 248, 260, 367, 490, 820, 822
821(T)	Aus 25, 26
822(T)	Aus 327, 4723, INT 723
823(T)	Aus 168

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 19

Aus Chart	Notices
Aus 20	814
Aus 25	821(T)
Aus 26	821(T)
Aus 57	815
Aus 155	816, 817
Aus 168	823(T)
Aus 235	819(T)
Aus 248	820(T)
Aus 260	820(T)
Aus 268	811, 818(T)
Aus 327	822(T)
Aus 367	820(T)
Aus 490	820(T)
Aus 720	814
Aus 722	814
Aus 815	819(T)
Aus 820	820(T)
Aus 822	820(T)
Aus 4604	812
Aus 4620	812, 813
Aus 4621	812, 813
Aus 4723	822(T)

INT Chart	Notices
INT 604	812
INT 620	812, 813
INT 621	812, 813
INT 723	822(T)

808 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

809 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office , UKHO

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP51 & e-NP51	Admiralty Sailing Directions. New Zealand Pilot.	2/9/2021	This edition supersedes NP51 (Nineteenth Edition 2015) which is cancelled.
NP286(4)	Admiralty List of Radio Signals. Pilot Services, Vessel Traffic Services and Port Operations. Indian sub-continent, South East Asia and Australasia. Volume 6(4) 2nd Edition (2021).	9/9/2021	The 1st Edition (2020) of NP286(4) is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

810 AUSTRALIA - Product - Amendment to Australian National Tide Tables 2021

Australian Hydrographic Office

ANTT 2021

Page 353

*Amend*BROOME Correction to Chart Datum AUS 50 NE 20 AUG 2021 0.0
BUNDABERG Correction to Chart Datum AUS 817 NE 20 AUG 2021 0.0

Page 354

Amend

ESPERANCE Correction to Chart Datum AUS 119 NE 20 AUG 2021 0.0

Page 358

Delete

PORT ALMA Correction to Chart Datum AUS 247 NC 09 SEP 2016 0.0

Page 359

Delete

SHUTE HARBOUR Correction to Chart Datum AUS 269 NE 08 APR 2016 0.0

Page 361

*Amend*URANGAN Correction to Chart Datum AUS 817 NE 20 AUG 2021 0.0
WADDY POINT Correction to Chart Datum AUS 817 NE 20 AUG 2021 0.0*Delete*

URANGAN Correction to Chart Datum AUS 241 NC 10 APR 2009 0.0

811 AUSTRALIA - QUEENSLAND - Bowen - Port Denison - Depths

Australian Hydrographic Office

Aus 268 [NE 23/7/2021]

Insert

depth, 4₂m

20° 02'.498 S

148° 15'.374 E

Delete

depth, 4₃m

20° 02'.43 S

148° 15'.31 E

depth, 5m, and enclosing contour

20° 02'.47 S

148° 15'.48 E

812 AUSTRALIA - CORAL SEA - Moore Reefs - Depth

Australian Hydrographic Office

Aus 4604 (INT 604) [684/2021]

Delete

depth, 3m, and enclosing danger line

15° 57'.3 S

149° 17'.9 E

Aus 4620 (INT 620) [517/2021]

Delete

depth, 3m, and enclosing danger line

15° 57'.3 S

149° 17'.9 E

Aus 4621 (INT 621) [517/2021]

Delete

depth, 3m, and enclosing danger line

15° 57'.3 S

149° 17'.9 E

813 PAPUA NEW GUINEA - Cape Nelson - Depth

BA Notice 35/3470/2021

Aus 4620 (INT 620) [812/2021]

Insert

depth, 1₂m, and extend danger line NW to enclose

8° 53'.4 S

149° 02'.7 E

Delete

depth, 12m

8° 55'.0 S

149° 04'.0 E

Aus 4621 (INT 621) [812/2021]

Insert

depth, 1₂m, and extend danger line NW to enclose

8° 53'.4 S

149° 02'.7 E

Delete

depth, 12m

8° 55'.0 S

149° 04'.0 E

814 AUSTRALIA - NORTHERN TERRITORY - Cape Hotham - Light

Australian Maritime Safety Authority Final ATH 11/2021

Aus 20 [1143/2019]

Amend light range to 13/9M 12° 02'.8 S 131° 17'.4 E

Aus 720 [157/2019]

Amend light range to 13/9M 12° 02'.8 S 131° 17'.4 E

Aus 722 [431/2021]

Amend light range to 13/9M 12° 02'.8 S 131° 17'.4 E

815 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Mermaid Sound - Rocks

Woodside Energy Ltd

Aus 57 [239/2021]

Insert rock which covers and uncovers enclosed by danger circle 20° 28'.45 S 116° 47'.77 E

rock which covers and uncovers enclosed by danger circle 20° 31'.01 S 116° 47'.13 E

Delete drying, 1₂m 20° 28'.4 S 116° 47'.8 E**816 AUSTRALIA - VICTORIA - Port Phillip - Hobsons Bay - Dredged limit**

Victorian Ports Corporation (Melbourne) Notice 267/2021

Aus 155 [555/2021]

Delete dashed line, between 37° 51'.49 S 144° 55'.00 E

37° 51'.79 S 144° 55'.26 E

817 AUSTRALIA - VICTORIA - Port Phillip - Altona - Buoys

Parks Victoria

Aus 155 [816/2021]

Insert special conical buoy 37° 52'.377 S 144° 49'.611 E

special conical buoy 37° 52'.584 S 144° 48'.979 E

818(T)/2021 AUSTRALIA - QUEENSLAND - Bowen - Port Denison - Light buoy off station
Maritime Safety Queensland Notice 339(T)/2021

The starboard lateral light buoy, *Fl.G.3s M3* (20° 02'.78 S 148° 16'.26 E), is off station.

Chart temporarily affected - Aus 268

819(T)/2021 AUSTRALIA - QUEENSLAND - Point Cartwright - Obstruction removed; light buoy removed eastwards
Former Notice - 761(T)/2021 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 235 - Aus 815

820(T)/2021 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing
Maritime Safety Queensland Notice 342(T)/2021

Live firing will be conducted in the marine component of the Shoalwater Bay training area during the period 24 September to 10 October 2021.

A marine danger area extends to all internal waters bounded by the following positions:

22° 40'.01 S 150° 41'.02 E
22° 29'.42 S 150° 38'.90 E
22° 27'.02 S 150° 34'.98 E
22° 24'.33 S 150° 26'.87 E
22° 23'.84 S 150° 18'.02 E
22° 24'.75 S 150° 17'.35 E
22° 38'.62 S 150° 27'.46 E.

All waters, creeks, beaches and other areas within the declared marine danger area are not available for access.

There will be a safe anchorage available at Freshwater, Port Clinton, West Water Port Clinton, South Arm Port Clinton, Pearl Bay, Island Head Creek and Supply Bay Townshend Island.

Mariners are advised to keep clear of this area throughout the above times.

Chart temporarily affected - Aus 248 - Aus 260 - Aus 367 - Aus 490 - Aus 820 - Aus 822

821(T)/2021 AUSTRALIA - NORTHERN TERRITORY - Darwin - Mooring buoy recovered
Former Notice - 487(T)/2021 is cancelled
Northern Territory Government

Cancel this notice on receipt.

Chart formerly affected - Aus 25 - Aus 26

822(T)/2021 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Drill rig eastwards
Former Notice - 715(T)/2021 is cancelled
Diamond Offshore Drilling

Drill rig *Ocean Apex* is conducting drilling operations in position 19° 43'.08 S 115° 51'.98 E.

Chart temporarily affected - Aus 327 - Aus 4723 (INT 723)

823(T)/2021 AUSTRALIA - TASMANIA - River Tamar - Batman Bridge - Lights unlit
Marine and Safety Tasmania Notice M246/2021

The following lights are unlit:

Position	Remarks
41° 13'.05 S 146° 54'.84 E	<i>F.Bu</i>
41° 13'.06 S 146° 54'.86 E	<i>F.Bu</i>

Chart temporarily affected - Aus 168

II

HYDROGRAPHIC REPORTS

NIL