



15 September 2023

Edition 19

AUSTRALIAN NOTICES TO MARINERS

Notices 790 - 842

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore S.T. DUNNE RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2023

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 19

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
790	Aus 799
791	Aus 200
792	Aus 255
793	Aus 252, 253
794	Aus 253, 254
795	Aus 267
796	Aus 301
797	Aus 25, 26
798	Aus 714, 719
799	Aus 64, 743
800	Aus 63, 743
801	Aus 328, 329, 745
802	Aus 53, 326
803	Aus 143
804	Aus 164, 167, 798
805	Aus 173, 795, 796
806	Aus 487, 790, 798
807(T)	Aus 222, 812, 813
808(T)	Aus 222
809(T)	Aus 209
810(T)	Aus 255
811(T)	Aus 245
812(T)	Aus 245, 246
813(T)	Aus 236
814(T)	Aus 236, 814, 815
815(T)	Aus 256, 827
816(T)	Aus 256
817(T)	Aus 256, 827
818(T)	PNG 391, 662
819(T)	Aus 119
820(T)	Aus 319, 320, 4603, 4722, INT 603, 722
821(T)	Aus 335
822(T)	Aus 57
823(T)	Aus 4723, INT 723
824(T)	Aus 332
825(T)	Aus 84, 753, 754, 4708, 4709, INT 708, 709
826(T)	Aus 328, 329, 744
827(T)	Aus 328, 329
828(T)	Aus 336
829(T)	Aus 327
830(T)	Aus 328, 329, 744
831(T)	Aus 346, 485
832(T)	Aus 143, 151, 349, 487, 801, 802
833(T)	Aus 143, 144
834(T)	Aus 143, 155, 157
835(T)	Aus 143
836(T)	Aus 179, 798, 800
837(T)	Aus 487, 800
838(T)	Aus 167
839(T)	Aus 798
840(T)	Aus 790
841(T)	SLB 104, 304
842(T)	Aus 4622, INT 622, SLB 302

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 19

Aus Chart	Notices
Aus 25	797
Aus 26	797
Aus 53	802
Aus 57	822(T)
Aus 63	800
Aus 64	799
Aus 84	825(T)
Aus 119	819(T)
Aus 143	803, 832(T), 833(T), 834(T), 835(T)
Aus 144	833(T)
Aus 151	832(T)
Aus 155	834(T)
Aus 157	834(T)
Aus 164	804
Aus 167	804, 838(T)
Aus 173	805
Aus 179	836(T)
Aus 200	791
Aus 209	809(T)
Aus 222	807(T), 808(T)
Aus 236	813(T), 814(T)
Aus 245	811(T), 812(T)
Aus 246	812(T)
Aus 252	793
Aus 253	793, 794
Aus 254	794
Aus 255	792, 810(T)
Aus 256	815(T), 816(T), 817(T)
Aus 267	795
Aus 301	796
Aus 319	820(T)
Aus 320	820(T)
Aus 326	802
Aus 327	829(T)
Aus 328	801, 826(T), 827(T), 830(T)
Aus 329	801, 826(T), 827(T), 830(T)
Aus 332	824(T)
Aus 335	821(T)
Aus 336	828(T)
Aus 346	831(T)
Aus 349	832(T)
Aus 485	831(T)
Aus 487	806, 832(T), 837(T)
Aus 714	798
Aus 719	798
Aus 743	799, 800
Aus 744	826(T), 830(T)
Aus 745	801
Aus 753	825(T)
Aus 754	825(T)
Aus 790	806, 840(T)
Aus 795	805
Aus 796	805
Aus 798	804, 806, 836(T), 839(T)

Aus Chart	Notices
Aus 799	790
Aus 800	836(T), 837(T)
Aus 801	832(T)
Aus 802	832(T)
Aus 812	807(T)
Aus 813	807(T)
Aus 814	814(T)
Aus 815	814(T)
Aus 827	815(T), 817(T)
Aus 4603	820(T)
Aus 4622	842(T)
Aus 4708	825(T)
Aus 4709	825(T)
Aus 4722	820(T)
Aus 4723	823(T)
PNG 391	818(T)
PNG 662	818(T)
SLB 104	841(T)
SLB 302	842(T)
SLB 304	841(T)

INT Chart	Notices
INT 603	820(T)
INT 622	842(T)
INT 708	825(T)
INT 709	825(T)
INT 722	820(T)
INT 723	823(T)

790 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

Charts withdrawn without replacement

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 799 Edition 1	Australia - Tasmania - Stony Head to Rocky Cape	1:150 000	14 June 1996 Paper chart rationalisation

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

791 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 200	Australia - East Coast - New South Wales - Port Jackson	1:25 000	New edition with general updating throughout; including new bathymetric data.
	Inset: Parramatta River	1:25 000	

792 AUSTRALIA - QUEENSLAND - Abbot Point - Scientific instrument

Maritime Safety Queensland

Aus 255 [862/2022]

Move	light buoy	19° 51'.63 S	148° 05'.66 E
	to	19° 51'.623 S	148° 05'.706 E

793 AUSTRALIA - QUEENSLAND - Airlie Beach - Pigeon Island - Light buoys

Maritime Safety Queensland Notice 399/2023

Aus 252 [742/2023]

Insert	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	20° 15'.64 S	148° 41'.95 E
--------	---	--------------	---------------

Aus 253 [742/2023]

Insert	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	20° 15'.641 S	148° 41'.946 E
	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	20° 15'.866 S	148° 41'.910 E
	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	20° 16'.064 S	148° 41'.952 E

794 AUSTRALIA - QUEENSLAND - Hamilton Island - Depths

Maritime Safety Queensland

Aus 253 [793/2023]

Replace	depth, 13 ₃ m, with depth, 13 ₉ m	20° 20'.78 S	148° 56'.75 E
---------	---	--------------	---------------

Aus 254 (Hamilton and Dent Islands) [693/2023]

Insert	contour, between	20° 20'.800 S	148° 56'.729 E
		20° 20'.828 S	148° 56'.746 E
		20° 20'.812 S	148° 56'.785 E

Replace	depth, 13 ₃ m, with depth, 13 ₉ m	20° 20'.78 S	148° 56'.75 E
---------	---	--------------	---------------

Delete	contour, between	20° 20'.80 S	148° 56'.73 E
		20° 20'.81 S	148° 56'.79 E

795 AUSTRALIA - QUEENSLAND - Lucinda - Dungeness Bank - Light buoy*Former Notice - 562(T)/2021 is cancelled*

Maritime Safety Queensland Notice 411/2023

Aus 267 [1040/2019]

Move	light buoy	18° 30'.75 S	146° 19'.09 E
	to	18° 31'.002 S	146° 19'.280 E

796 AUSTRALIA - QUEENSLAND - Skardon River - Depth

Australian Hydrographic Office

Aus 301 (Skardon River) [743/2023]

Delete	depth, 15 ₄ m	11° 45'.3 S	141° 51'.1 E
--------	--------------------------	-------------	--------------

797 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Beacon

Darwin Port

Aus 25 [347/2023]

Delete	beacon	12° 27'.20 S	130° 51'.07 E
--------	--------	--------------	---------------

Aus 26 [347/2023]

Delete	beacon	12° 27'.20 S	130° 51'.07 E
--------	--------	--------------	---------------

798 AUSTRALIA - NORTHERN TERRITORY - New Year Island - Light

Australian Maritime Safety Authority Final ATH 14/2023

Aus 714 [961/2017]

Amend	light to <i>Fl(3)20s 32m 15M</i>	10° 54'.4 S	133° 02'.1 E
-------	----------------------------------	-------------	--------------

Aus 719 [698/2019]

Amend	light to <i>Fl(3)20s 32m 15M</i>	10° 54'.4 S	133° 02'.1 E
-------	----------------------------------	-------------	--------------

799 AUSTRALIA - WESTERN AUSTRALIA - Ashburton - Depths

Precision Hydrographic Services

Aus 64 [746/2023]

Insert	depth, 1 _m , and extend contour NW to enclose	21° 39'.59 S	115° 04'.23 E
	depth, 3 ₂ <i>m</i>	21° 40'.00 S	115° 02'.54 E
	depth, 2 ₆ <i>m</i>	21° 40'.27 S	115° 01'.51 E
	depth, 2 ₇ <i>m</i>	21° 40'.80 S	115° 00'.84 E

Delete	depth, 2 ₅ <i>m</i>	21° 40'.8 S	115° 01'.0 E
--------	--------------------------------	-------------	--------------

Aus 743 [746/2023]

Insert	contour, between	21° 39'.54 S	115° 04'.55 E
		21° 39'.55 S	115° 04'.17 E
		21° 39'.88 S	115° 04'.24 E

Delete	contour, between	21° 39'.5 S	115° 04'.6 E
		21° 39'.9 S	115° 04'.2 E

800 AUSTRALIA - WESTERN AUSTRALIA - Mary Anne Passage - Depths

Precision Hydrographic Services

Aus 63 [58/2020]

Insert	depth, 17 ₅ <i>m</i>	21° 08'.33 S	115° 13'.42 E
	depth, 16 ₆ <i>m</i>	21° 08'.87 S	115° 12'.73 E

Replace	depth, 15 ₇ <i>m</i> , with depth, 15 ₃ <i>m</i>	21° 07'.2 S	115° 13'.0 E
	depth, 18 ₂ <i>m</i> , with depth, 18 <i>m</i>	21° 09'.0 S	115° 12'.0 E

Delete	depth, 19 ₁ <i>m</i>	21° 08'.3 S	115° 13'.6 E
	depth, 17 ₁ <i>m</i>	21° 08'.8 S	115° 12'.8 E

Aus 743 [799/2023]

Replace	depth, 15 ₇ <i>m</i> , with depth, 15 ₃ <i>m</i>	21° 07'.2 S	115° 13'.0 E
---------	--	-------------	--------------

801 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Depths

Australian Hydrographic Office

Aus 328 [650/2023]

Replace	depth, 17 ₆ <i>m</i> , with depth, 14 ₇ <i>m</i>	21° 45'.0 S	114° 09'.3 E
---------	--	-------------	--------------

Aus 329 [1012/2022]

Replace	depth, 17 ₆ <i>m</i> , with depth, 14 ₇ <i>m</i>	21° 45'.0 S	114° 09'.3 E
---------	--	-------------	--------------

Aus 745 [429/2023]

Insert	depth, 14 ₇ <i>m</i> , and extend contour SE to enclose	21° 45'.04 S	114° 09'.34 E
--------	--	--------------	---------------

Delete	depth, 17 ₆ <i>m</i>	21° 44'.9 S	114° 09'.3 E
--------	---------------------------------	-------------	--------------

802 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Depths

Precision Hydrographic Services

Aus 53 [651/2023]

Insert	depth, 7 ₁ m	20° 12'.73 S	118° 35'.00 E
Replace	depth, 3 ₅ m, with depth, 2 ₉ m	20° 11'.9 S	118° 34'.6 E
Delete	depth, 7 ₆ m	20° 12'.7 S	118° 34'.8 E
	depth, 8 ₃ m	20° 12'.8 S	118° 35'.2 E

Aus 326 [651/2023]

Replace	depth, 3 ₅ m, with depth, 2 ₉ m	20° 11'.9 S	118° 34'.6 E
---------	---	-------------	--------------

803 AUSTRALIA - VICTORIA - Port Phillip - Depths

Port of Melbourne Corporation

Aus 143 [436/2023]

Insert	contour with contour value, 20, between	38° 05'.01 S	144° 59'.07 E
		38° 05'.81 S	144° 59'.02 E
		38° 06'.56 S	144° 58'.37 E
		38° 08'.32 S	144° 59'.37 E
		38° 09'.58 S	144° 59'.38 E
	depth, 18 ₉ m	38° 06'.72 S	145° 00'.29 E
Replace	depth, 20 ₈ m, with depth, 20 ₁ m	38° 07'.1 S	144° 58'.6 E
Delete	contour and contour value, 20, between	38° 05'.0 S	144° 59'.1 E
		38° 09'.6 S	144° 59'.4 E
	depth, 21 ₁ m	38° 06'.0 S	145° 00'.0 E
	depth, 19 ₂ m	38° 07'.1 S	145° 01'.1 E

804 AUSTRALIA - TASMANIA - Anderson Bay to Devonport - Fish aggregating devices

Marine and Safety Tasmania Notice M326/2023

Aus 164 [NE 7/7/2023]

Insert	special conical light buoy, <i>Fl. Y. 3s FAD</i> , without topmark	41° 08'.396 S	146° 25'.122 E
--------	--	---------------	----------------

Aus 167 [749/2023]

Insert	special conical light buoy, <i>Fl. Y. 3s FAD</i> , without topmark	41° 02'.173 S	146° 47'.187 E
--------	--	---------------	----------------

Aus 798 [NE 31/3/2023]

Insert	special conical light buoy, <i>Fl. Y. 3s FAD</i> , without topmark	40° 59'.22 S	147° 25'.49 E
--------	--	--------------	---------------

805 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Soldiers Point - Nav aids*Former Notice - 729(T)/2023 is cancelled*

Marine and Safety Tasmania Notice M310/2023

Aus 173 [656/2023]

Replace	light beacon with south cardinal cylindrical light buoy, <i>Q(6)+LFl. 15s</i> , with topmark	43° 10'.6 S	147° 17'.3 E
---------	--	-------------	--------------

Aus 795 [936/2022]

Replace	light beacon with south cardinal cylindrical light buoy, <i>Q(6)+LFl. 15s</i> , with topmark	43° 10'.6 S	147° 17'.3 E
---------	--	-------------	--------------

Aus 796 [237/2023]

Replace	light beacon with south cardinal cylindrical light buoy, <i>Q(6)+LFl. 15s</i> , with topmark	43° 10'.6 S	147° 17'.3 E
---------	--	-------------	--------------

806 AUSTRALIA - TASMANIA - Stony Head to Rocky Cape - Chart withdrawn; ZOC diagram; chart limits; depths; legends

Australian Hydrographic Office

Aus 487 [438/2023]

Insert	accompanying ZOC diagram	38° 26'.0 S	146° 00'.0 E
	accompanying block	41° 03'.0 S	146° 16'.0 E

Delete	magenta limits with legend, Aus 799, centred on	40° 49'.0 S	146° 19'.0 E
--------	---	-------------	--------------

Aus 790 [130/2023]

Delete	magenta legend, Adjoining Chart Aus799, in E border	40° 42'.5 S	145° 35'.0 E
--------	---	-------------	--------------

Aus 798 [804/2023]

Delete	magenta legend, Adjoining Chart Aus799, in W border	40° 40'.0 S	146° 56'.0 E
--------	---	-------------	--------------

807(T)/2023 AUSTRALIA - NEW SOUTH WALES - Clarence River - Shoaling charted

Former Notice - 229(P)/2022 is cancelled
Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 222 - Aus 812 - Aus 813

808(T)/2023 AUSTRALIA - NEW SOUTH WALES - Clarence River - Scientific instrument

NSW Department of Planning and Environment

A special light buoy, *Fl.Y.5s*, exists in position 29° 25'.31 S 153° 21'.32 E.

Chart temporarily affected - Aus 222

809(T)/2023 AUSTRALIA - NEW SOUTH WALES - Morna Point to Point Stephens - Shoaling charted

Former Notice - 269(P)/2023 is cancelled
Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 209

810(T)/2023 AUSTRALIA - QUEENSLAND - Abbot Point - Scientific instrument removed

Former Notice - 486(T)/2022 is cancelled
Department of Environment and Science QLD

Cancel this notice on receipt.

Chart formerly affected - Aus 255

811(T)/2023 AUSTRALIA - QUEENSLAND - Gladstone - North Channel to North Passage Island - Scientific instruments

Former Notice - 665(T)/2023 is cancelled
Maritime Safety Queensland Notice 317(T)/2023

Special light buoys, *Fl.Y.6s*, exist in the following positions:

23° 45'.92 S 151° 10'.87 E

23° 46'.05 S 151° 10'.09 E

23° 46'.97 S 151° 18'.38 E

23° 48'.30 S 151° 12'.57 E.

Chart temporarily affected - Aus 245

812(T)/2023 AUSTRALIA - QUEENSLAND - Gladstone - Dredging operations; survey operations completed

Former Notice - 666(T)/2023 is cancelled
Maritime Safety Queensland Notice 412(T)/2023

Cancel this notice on receipt.

Chart formerly affected - Aus 245 - Aus 246

813(T)/2023 AUSTRALIA - QUEENSLAND - Moreton Bay - Bramble Bay - Pine River - Obstruction; light buoy

Maritime Safety Queensland Notice 398(T)/2023

An obstruction marked by a special light buoy, *Fl.Y.2·5s*, exists in position 27° 16'.48 S 153° 04'.19 E.

Chart temporarily affected - Aus 236

814(T)/2023 AUSTRALIA - QUEENSLAND - Moreton Island - Survey operations northwards
Fugro

Vessel *Pacific Conquest* is conducting survey operations in an area bounded by the following positions:

26° 25'.97 S 153° 33'.83 E
 26° 25'.97 S 153° 30'.61 E
 26° 37'.75 S 153° 21'.67 E
 26° 37'.74 S 153° 15'.66 E
 26° 49'.00 S 153° 15'.83 E
 26° 50'.38 S 153° 11'.26 E
 26° 51'.92 S 153° 12'.21 E
 26° 56'.73 S 153° 26'.57 E
 26° 56'.74 S 153° 34'.78 E
 26° 37'.75 S 153° 36'.04 E.

Tide gauges exist on the seabed in the following positions:

26° 25'.1 S 153° 32'.2 E
 26° 34'.1 S 153° 24'.3 E
 26° 36'.1 S 153° 34'.0 E
 26° 38'.1 S 153° 15'.3 E
 26° 45'.6 S 153° 24'.5 E
 26° 46'.5 S 153° 33'.1 E
 26° 48'.6 S 153° 15'.5 E
 26° 56'.6 S 153° 20'.1 E
 26° 57'.2 S 153° 31'.1 E.

Current meters exist on the seabed in the following positions:

26° 34'.1 S 153° 24'.3 E
 26° 38'.1 S 153° 15'.3 E
 26° 56'.6 S 153° 20'.1 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236 - Aus 814 - Aus 815

815(T)/2023 AUSTRALIA - QUEENSLAND - Townsville - Harbour works completed

Former Notice - 703(T)/2021 is cancelled
 Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 827

816(T)/2023 AUSTRALIA - QUEENSLAND - Townsville - Pump discharge

Former Notice - 201(T)/2023 is cancelled
 Maritime Safety Queensland Notice 402(T)/2023

Dewatering of the reclamation pond is in progress in the vicinity of position 19° 15'.05 S 146° 50'.99 E.

The discharge area is marked by a special light buoy, *Fl.Y.2-5s*, in position 19° 15'.04 S 146° 51'.02 E.

The water discharge will create strong currents and bubbling on the sea surface in the area.

Mariners are advised not to approach within 100m of the northern rock wall and not to transit between the special light buoy and the rock wall.

Chart temporarily affected - Aus 256

817(T)/2023 AUSTRALIA - QUEENSLAND - Townsville - Dredging operations

Maritime Safety Queensland Notice 412(T)/2022

The dredge *Brisbane* is conducting dredging operations in the Sea Channel, Platypus Channel and the swing basins.

The dredge will display appropriate lights and shapes and monitor VHF Ch 12 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 827**818(T)/2023 PAPUA NEW GUINEA - Los Negros Island - Nahuchie Point - Light relit**

Former Notice - 572(T)/2023 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 21/2023

Cancel this notice on receipt.

Chart formerly affected - PNG 391 - PNG 662**819(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Bandy Creek Boat Harbour - Dredging operations completed**

Former Notice - 324(T)/2023 is cancelled

Department of Transport WA

Cancel this notice on receipt.

Chart formerly affected - Aus 119**820(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Light altered northwestwards**

Australian Maritime Safety Authority Auscoast Warning 213/2023

The light, *Mo(U)15s 15M* (13° 56'.37 S 123° 17'.87 E), has been temporarily altered to *Mo(U)15s 10M*.

Chart temporarily affected - Aus 319 - Aus 320 - Aus 4603 (INT 603) - Aus 4722 (INT 722)**821(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Cape Naturaliste - Scientific instrument northwestwards**

Geographe Marine Research

A subsurface scientific instrument, 4m above the seabed, exists in position 33° 19'.35 S 114° 46'.91 E.

Chart temporarily affected - Aus 335**822(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Mermaid Sound - Scientific instrument**

Pilbara Ports Authority Notice D23(T)/2023

A special light buoy, *Fl(5)Y.20s*, exists in position 20° 30'.81 S 116° 45'.56 E.

Chart temporarily affected - Aus 57

823(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Drilling operations

Woodside Energy Ltd

On or about 21 September 2023, drill-rig *Valaris DPS-1* and support vessels *Siem Pilot*, *Normand Tortuga* and *MMA Leeuwin* will be conducting drilling operations in the following following positions:

19° 45'.88 S 113° 14'.46 E
 19° 49'.46 S 113° 13'.14 E
 19° 52'.51 S 113° 06'.69 E
 19° 52'.65 S 113° 13'.41 E
 19° 53'.31 S 113° 10'.06 E
 19° 53'.45 S 113° 08'.73 E
 19° 53'.51 S 113° 08'.73 E
 19° 53'.81 S 113° 06'.92 E.

Mariners are advised to navigate with caution in the area. 0.27M clearance requested.

Chart temporarily affected - Aus 4723 (INT 723)**824(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Houtman Abrolhos - North Island to Pelsaert Island - Shoaling charted**

Former Notice - 1280(P)/2019 is cancelled
 Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 332**825(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Jurien to Hilarys Boat Harbour - Survey operations westwards**

Blue Ocean Marine Tech Systems

Three AUVs are conducting survey operations in an area bounded by the following positions:

31° 50'.00 S 114° 30'.00 E
 31° 50'.00 S 115° 30'.00 E
 30° 18'.43 S 115° 02'.91 E
 30° 19'.75 S 114° 04'.54 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 84 - Aus 753 - Aus 754 - Aus 4708 (INT 708) - Aus 4709 (INT 709)**826(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Subsea operations northwestwards completed**

Former Notice - 209(T)/2023 is cancelled
 Santos

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329 - Aus 744**827(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Well plug and abandonment works northwestwards completed**

Former Notice - 208(T)/2023 is cancelled
 Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329**828(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Point D'Entrecasteaux to Point Nuyts - Shoaling charted**

Former Notice - 1118(P)/2019 is cancelled
 Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 336

829(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Subsea operations eastwards
Woodside Energy Ltd

Vessel *Sapura Constructor* is conducting subsea operations in the vicinity of position 19° 45'.73 S 115° 53'.40 E.

Mariners are advised to navigate with caution in the area. 0.27M clearance requested.

Chart temporarily affected - Aus 327

830(T)/2023 AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island to Muiron Islands - Subsea operations northwestwards

Technip FMC , Woodside Energy Ltd

On or about 22 September 2023, Vessel *Sapura Constructor* will be conducting subsea operations in the Griffin Field (21° 13'.4 S 114° 38'.7 E), Enfield Field (21° 28'.9 S 113° 59'.3 E) and the Stybarrow Field (21° 13'.4 S 114° 38'.7 E).

Mariners are advised to navigate with caution in the area. 0.27M clearance requested.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

831(T)/2023 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Cape Gantheaume - Shoaling charted

Former Notice - 674(P)/2022 is cancelled

Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 346 - Aus 485

832(T)/2023 AUSTRALIA - VICTORIA - Phillip Island - Research operations southwards

Phillip Island Nature Parks

Unmanned surface vehicle (USV), *SailBuoy*, is conducting research operations in an area bounded by the following positions:

38° 22'.87 S 144° 29'.62 E
39° 05'.74 S 143° 47'.33 E
39° 29'.64 S 144° 17'.72 E
39° 41'.70 S 145° 32'.60 E
39° 41'.22 S 146° 02'.35 E
39° 27'.36 S 146° 07'.34 E
38° 57'.48 S 145° 56'.99 E
38° 39'.43 S 145° 43'.80 E
38° 31'.15 S 145° 17'.01 E
38° 30'.85 S 144° 55'.17 E
38° 22'.80 S 144° 43'.20 E.

The USV is white and lit with a white light.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 151 - Aus 349 - Aus 487 - Aus 801 - Aus 802

833(T)/2023 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Shoaling removed; virtual AIS removed

Former Notices - 162(T)/2023, 369(T)/2023 are cancelled

Ports Victoria Notice 361/2023

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 144

834(T)/2023 AUSTRALIA - VICTORIA - Port Phillip - Scientific instruments

Former Notice - 82(T)/2023 is cancelled
Ports Victoria Notice 365(T)/2023

Special light buoys, *Fl. Y. 2-5s*, exist in the following positions:

37° 58'.72 S 144° 59'.73 E
37° 59'.10 S 144° 46'.51 E
38° 03'.81 S 144° 52'.01 E
38° 08'.16 S 144° 45'.18 E
38° 09'.73 S 145° 03'.26 E
38° 18'.09 S 144° 52'.36 E.

Chart temporarily affected - Aus 143 - Aus 155 - Aus 157

835(T)/2023 AUSTRALIA - VICTORIA - Port Phillip - Mornington - Light beacon removed

Former Notice - 509(T)/2023 is cancelled
Parks Victoria Notice 427(T)/2021, 228/2023, 368(T)/2023

The west cardinal light beacon, *VQ(9)10s* (38° 13'.42 S 145° 01'.58 E), has been removed.

Chart temporarily affected - Aus 143

836(T)/2023 AUSTRALIA - TASMANIA - Franklin Sound - Shoaling charted

Former Notice - 682(P)/2020 is cancelled
Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 179 - Aus 798 - Aus 800

837(T)/2023 AUSTRALIA - TASMANIA - Furneaux Group - Babel Island - Shoaling northeastwards charted

Former Notice - 419(P)/2023 is cancelled
Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 487 - Aus 800

838(T)/2023 AUSTRALIA - TASMANIA - Port Dalrymple - Inspection Head - Harbour works completed

Former Notice - 731(T)/2023 is cancelled
Marine and Safety Tasmania Notice M325/2023

Cancel this notice on receipt.

Chart formerly affected - Aus 167

839(T)/2023 AUSTRALIA - TASMANIA - Ringarooma Bay - Scientific instrument

Marine and Safety Tasmania Notice M327(T)/2023

A scientific instrument marked by an orange buoy exists in position 40° 49'.55 S 147° 54'.70 E.

Chart temporarily affected - Aus 798

840(T)/2023 AUSTRALIA - TASMANIA - Stanley Harbour - Shoaling charted

Former Notice - 172(P)/2023 is cancelled
Australian Hydrographic Office

Cancel this notice on receipt.

Chart formerly affected - Aus 790

841(T)/2023 SOLOMON ISLANDS - Malaita Island - Auki Harbour - Light beacon relit

Former Notice - 420(T)/2023 is cancelled

Solomon Islands Maritime Authority Notice 14/2023

Cancel this notice on receipt.

Chart formerly affected - SLB 104 - SLB 304

842(T)/2023 SOLOMON ISLANDS - New Georgia Island - Munda Point - Light beacon unlit

Solomon Islands Maritime Authority Notice 16/2023

The light beacon, *Fl.10s 10m 10M* (8° 23'.02 S 157° 13'.59 E), is unlit.

Chart temporarily affected - Aus 4622 (INT 622) - SLB 302

II

HYDROGRAPHIC REPORTS

NIL