

## AUSTRALIAN NOTICES TO MARINERS

## Notices 427 - 463

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN Hydrographer of Australia

## SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.

## SUPPLEMENTS.

I. Tracings	
-------------	--

- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.

### © Commonwealth of Australia 2024

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

## **IMPORTANT NOTICE**

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

## **GENERAL INSTRUCTIONS**

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

### **REPORTING OF DANGERS**

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

## AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

## NUMERICAL INDEX OF NOTICES TO MARINERS

## Edition No 12

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
427	Products - New Charts, New Editions, Withdrawn Charts
428	Aus 57, 59, 60, 335, 336
429	Aus 294, 839
430	Aus 837, 840
431	Aus 4603, 4604, INT 603, 604
432	Aus 715
433	Aus 115, 755
434	Aus 116
435	Aus 117
436	Aus 328, 329
437	Aus 4723, INT 723
438	Aus 485, 781
439	Aus 604
440	Aus 151
441(T)	Aus 198, 200, 489, 808, 809
442(T)	Aus 237
443(T)	Aus 831
444(T)	Aus 833
445(T)	Aus 830
446(T)	Aus 256
447(T)	Aus 305, 4603, INT 603
448(T)	Aus 312, 314, 315, 319, 321
449(T)	Aus 328, 4723, INT 723
450(T)	Aus 319
451(T)	Aus 335, 755, 4060, 4070, 4708, 4709, INT 60, 70, 708, 709
452(T)	Aus 117, 754
453(T)	Aus 57, 59, 327, 742
454(T)	Aus 57, 327
455(T)	Aus 4723, INT 723
456(T)	Aus 328
457(T)	Aus 328, 329, 744, 4723, INT 723
458(T)	Aus 116
459(T)	Aus 780, 781
460(T)	Aus 357, 487
461(T)	Aus 357, 487
462(T)	Aus 155
463(T)	Aus 157
<u>463(T)</u>	Aus 157

## NUMERICAL INDEX OF CHARTS AFFECTED

## Edition No 12

Aus Chart	
Aus 57	428, 453(T), 454(T)
Aus 59	428, 453(T)
Aus 60	428
Aus 115	433
Aus 116	434, 458(T)
Aus 117	435, 452(T)
Aus 151	440
Aus 155	462(T)
Aus 157	463(T)
Aus 198	441(T)
Aus 200	441(T)
Aus 237	442(T)
Aus 256	446(T)
Aus 294	429
Aus 305	447(T)
Aus 312	448(T)
Aus 314	448(T)
Aus 315	448(T)
Aus 319	448(T), 450(T)
Aus 321	448(T)
Aus 327	453(T), 454(T)
Aus 328	436, 449(T), 456(T), 457(T)
Aus 329 Aus 335	436, 457(T) 438, 451(T)
	428, 451(T)
Aus 336	428 400/T) 404/T)
Aus 357	460(T), 461(T)
Aus 485	438 438
Aus 487	460(T), 461(T)
Aus 489	441(T)
Aus 604	439
Aus 715	432
Aus 742	453(T)
Aus 744	457(T)
Aus 754	452(T)
Aus 755	433, 451(T)
Aus 780	459(T)
Aus 781	438, 459(T)
Aus 808	441(T)
Aus 809	441(T)
Aus 830	445(T)
Aus 831	443(T)
Aus 833	444(T)
Aus 837	430 '
Aus 839	429
Aus 840	430
Aus 4060	451(T)
Aus 4000 Aus 4070	451(T)
Aus 4603	431, 447(T)
Aus 4603 Aus 4604	431, 447(1)
Aus 4708	451(T) 451(T)
Aus 4709	451(T) 437, 440(T), 455(T), 457(T)
Aus 4723	437, 449(T), 455(T), 457(T)

INT Chart	Notices
INT 60	451(T)
INT 70	451(T)
INT 603	431, 447(T)
INT 604	431
INT 708	451(T)
INT 709	451(T)
INT 723	437, 449(T), 455(T), 457(T)

#### 427 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts Australian Hydrographic Office

New Charts Chart NIL	Title and Geographical limits	Scale	Publication Date	Remarks
New Electro Cell Name NIL	nic Navigation Chart (Aus ENC) <i>Title</i>		Publication Date	Remarks
New Edition Chart NIL	s and Withdrawn Charts <i>Title</i>	Scale	Publication Date	Remarks

#### Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

<b>428</b>	AUSTRALIA - Products - New Charts and New Editions to be published shortly
Australian Hyd	rographic Office
New Charts to	be published shortly

Chart NIL	Title	Scale	Remarks
New Edition Chart Aus 57	<b>ns to be published shortly</b> Title Australia - North West Coast - Western Australia - Dampier Archipelago	Scale 1:75 000	Remarks New edition with general updating throughout; including new bathymetric data.
Aus 59	Australia - North West Coast - Western Australia - Dampier (Northern Sheet)	1:10 000	New edition with general updating throughout; including new bathymetric data.
Aus 60	Australia - North West Coast - Western Australia - Dampier (Southern Sheet)	1:10 000	New edition with general updating throughout; including new bathymetric data.
Aus 335	Australia - West Coast - Western Australia - Cape Naturaliste to Point D'Entrecasteaux	1:300 000	New edition with general updating throughout; including new bathymetric data.
Aus 336	Australia - South Coast - Western Australia - Cape Leeuwin to King George Sound	1:300 000	New edition with general updating throughout; including new bathymetric data.

# **429** AUSTRALIA - QUEENSLAND - Cape York Peninsula - Red Island Point - Navaids Maritime Safety Queensland Notice 255/2024

Delete	241/2024] light	10° 50'.3 S	142° 22'.8 E
	dashed and continuous line with legend, 112·5°, emanating from light	10° 50'.3 S	142° 22'.8 E
<b>Aus 294 (A</b> Delete	Approaches to Red Island Point) [241/2024] light beacon	10° 50'.33 S	142° 22'.78 E
	light beacon dashed and continuous line with legend, 112·5°, emanating from light beacon	10° 50'.34 S 10° 50'.34 S	142° 22'.82 E 142° 22'.82 E
<b>Aus 839</b> [3 Delete	-	10° 50'.3 S	142° 22'.8 E
Delete	light dashed and continuous line with legend, 112 <sup>.</sup> 5°, emanating from light	10° 50'.3 S	142° 22'.8 E
<b>430</b> Maritime Sa	AUSTRALIA - QUEENSLAND - Meer Island - Navaids afety Queensland Notice 254(T)/2024		
<b>Aus 837</b> [3 Insert	319/2024] light, <i>Fl.5s</i>	9° 54'.70 S	144° 02'.91 E
Delete	•	9° 54'.7 S	144 02.91 E
Delete	beacon and legend, 2Bns dashed line and legend, 145°, emanating from beacon	9° 54'.7 S 9° 54'.7 S	144° 02'.8 E
<b>Aus 840</b> [3 Insert	819/2024] light, <i>Fl.5s</i>	9° 54'.70 S	144° 02'.91 E
Delete	beacon and legend, 2Bns	9° 54'.7 S	144° 02'.8 E
	dashed line and legend, 145°, emanating from beacon	9° 54'.7 S	144° 02'.8 E
<b>431</b> UKHO	PAPUA NEW GUINEA - Admiralty Islands - Manus Island - Contour		
	(INT 603) [397/2024]		
Delete	enclosing contour, centred on	3° 02'.0 S	147° 32'.0 E
	(INT 604) [393/2024] enclosing contour, centred on	3° 02'.0 S 3° 02'.0 S	147° 32'.0 E 147° 32'.0 E
Aus 4604	(INT 604) [393/2024]		
Aus 4604 Delete 432 Rio Tinto Aus 715 [2	(INT 604) [393/2024] enclosing contour, centred on AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages	3° 02'.0 S	147° 32'.0 E
Aus 4604 Delete 432 Rio Tinto	(INT 604) [393/2024] enclosing contour, centred on AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages		
<b>Aus 4604</b> Delete <b>432</b> Rio Tinto <b>Aus 715</b> [2 Insert	(INT 604) [393/2024] enclosing contour, centred on AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages 226/2023] anchor berth, desig <i>G5</i> , with 0·7M radius swinging circle centred on	3° 02'.0 S 12° 04'.59 S	147° 32'.0 E 136° 40'.18 E
<b>Aus 4604</b> Delete <b>432</b> Rio Tinto <b>Aus 715</b> [2 Insert	(INT 604) [393/2024] enclosing contour, centred on AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages 226/2023] anchor berth, desig G5, with 0·7M radius swinging circle centred on anchor berth, desig G4, with 0·7M radius swinging circle centred on AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Nomenclature Hydrographic Office	3° 02'.0 S 12° 04'.59 S	147° 32'.0 E 136° 40'.18 E
Aus 4604         Delete         432         Rio Tinto         Aus 715 [2         Insert         433         Australian I         Aus 115 [4         Amend         Aus 755 [7]	(INT 604) [393/2024] enclosing contour, centred on          AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages         226/2023] anchor berth, desig G5, with 0·7M radius swinging circle centred on anchor berth, desig G4, with 0·7M radius swinging circle centred on         AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Nomenclature         Hydrographic Office         774/2023] name to Koombana         83/2024]	3° 02'.0 S 12° 04'.59 S 12° 05'.93 S 33° 21'.9 S	147° 32'.0 E 136° 40'.18 E 136° 39'.62 E 115° 37'.6 E
Aus 4604 Delete 432 Rio Tinto Aus 715 [2 Insert 433 Australian I Aus 115 [4 Amend	<ul> <li>(INT 604) [393/2024] enclosing contour, centred on</li> <li>AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages</li> <li>226/2023] anchor berth, desig G5, with 0·7M radius swinging circle centred on anchor berth, desig G4, with 0·7M radius swinging circle centred on</li> <li>AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Nomenclature Hydrographic Office</li> <li>474/2023] name to Koombana</li> </ul>	3° 02'.0 S 12° 04'.59 S 12° 05'.93 S	147° 32'.0 E 136° 40'.18 E 136° 39'.62 E
Aus 4604         Delete         432         Rio Tinto         Aus 715 [2         Insert         433         Australian I         Aus 115 [4         Amend         Aus 755 [7         Amend         434	(INT 604) [393/2024] enclosing contour, centred on          AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages         226/2023] anchor berth, desig G5, with 0·7M radius swinging circle centred on anchor berth, desig G4, with 0·7M radius swinging circle centred on         AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Nomenclature         Hydrographic Office         774/2023] name to Koombana         83/2024]	3° 02'.0 S 12° 04'.59 S 12° 05'.93 S 33° 21'.9 S	147° 32'.0 E 136° 40'.18 E 136° 39'.62 E 115° 37'.6 E
Aus 4604 Delete 432 Rio Tinto Aus 715 [2 Insert 433 Australian I Aus 115 [4 Amend Aus 755 [7 Amend 434 Australian I	(INT 604) [393/2024] enclosing contour, centred on AUSTRALIA - NORTHERN TERRITORY - Melville Bay - Anchorages 226/2023] anchor berth, desig G5, with 0·7M radius swinging circle centred on anchor berth, desig G4, with 0·7M radius swinging circle centred on AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Nomenclature Hydrographic Office 174/2023] name to Koombana 183/2024] name to Koombana AUSTRALIA - WESTERN AUSTRALIA - Flinders Bay - Nomenclature	3° 02'.0 S 12° 04'.59 S 12° 05'.93 S 33° 21'.9 S	147° 32'.0 E 136° 40'.18 E 136° 39'.62 E 115° 37'.6 E

<b>435</b> Ertech	AUSTRALIA - WESTERN AUSTRALIA - Garden Island - Colpoys Poin	t - Jetty; light	
<b>Aus 117</b> [ <i>1</i> Insert	00/2024] continuous line, between	32° 13'.710 S 32° 13'.747 S	115° 41'.911 E 115° 41'.963 E
Move	light to	32° 13'.72 S 32° 13'.747 S	
<b>436</b> Australian H	AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - AIS northwee lydrographic Office	stwards	
<b>Aus 328</b> [ <i>4</i> Delete	02/2024] magenta legend, AIS	21° 33'.9 S	114° 06'.3 E
<b>Aus 329</b> [ <i>4</i> Delete	01/2024] magenta legend, AIS	21° 33'.9 S	114° 06'.3 E
<b>437</b> Chevron Au	AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island - Lit platforn stralia	m	
<b>Aus 4723 (</b> Delete	INT 723) [ <i>322/2024</i> ] lit platform	21° 26'.5 S	115° 03'.3 E
<b>438</b> Australian N	AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Tapley Shoal - L Iaritime Safety Authority Final ATH 6/2024	ight buoy; AIS	
<b>Aus 485</b> [2 Insert	76/2024] magenta circle with legend, AIS	35° 01'.39 S	137° 55'.43 E
Replace	light beacon with north cardinal pillar light buoy, Q, with topmark	35° 01'.4 S	137° 55'.4 E
Delete	depth, 14 <sub>7</sub> m	35° 00'.1 S	137° 55'.6 E
Aus 781 [2	48/2024]		
Insert	magenta circle with legend, <i>AIS</i>	35° 01'.39 S	137° 55'.43 E
Replace	depth, $9_9$ m, with north cardinal pillar light buoy, Q, with topmark	35° 01'.4 S	137° 55'.4 E
<b>439</b> Serco Asia	SOUTHERN OCEAN - Macquarie Island - Foul grounds Pacific		
-	IE 15/3/2024]	E 48 001 00 0	
Insert	#, centred on #, centred on	54° 30'.30 S 54° 30'.50 S	158° 56'.62 E 158° 57'.34 E
Aus 604 (H Insert	lasselborough and Buckles Bays) [ <i>NE 15/3/2024</i> ] #, centred on #, centred on	54° 30'.300 S 54° 30'.501 S	158° 56'.624 E 158° 57'.344 E
<b>440</b> Ports Victor	AUSTRALIA - VICTORIA - Western Port - Western Channel - Scientificia Notice 222/2024	c instrument	
<b>Aus 151</b> [ <i>1</i> Insert	49/2024] special conical light buoy, <i>Fl(5)Y.20s</i> , without topmark	38° 29'.470 S	145° 06'.980 E
Delete	depth, $12_{a}$ m	38° 29'.470 S	145° 00'.980 E
Delefe	ασμα, τ <sub>24</sub> π	00 28.00 3	145 07.03 E

T

Cancel this notice on receipt.

#### Chart formerly affected - Aus 198 - Aus 200 - Aus 489 - Aus 808 - Aus 809

#### **442(T)/2024** AUSTRALIA - QUEENSLAND - Brisbane River - Inner Bar Reach - Obstruction removed Former Notice - 396(T)/2023 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

#### Chart formerly affected - Aus 237

**443(T)/2024 AUSTRALIA - QUEENSLAND - Great Barrier Reef - Pickersgill Reef - Light unlit** Australian Maritime Safety Authority Auscoast Warning 157/2024

The light, FI(2)10s 8m 11M (15° 51'.41 S 145° 33'.32 E), is unlit.

#### Chart temporarily affected - Aus 831

#### **444(T)/2024 AUSTRALIA - QUEENSLAND - Melanie Rock - Light buoy unlit** Australian Maritime Safety Authority Auscoast Warning 113/2024

The west cardinal light buoy, Q(9)15s (14° 06'.30 S 144° 34'.30 E), is unlit.

#### Chart temporarily affected - Aus 833

## 445(T)/2024 AUSTRALIA - QUEENSLAND - Port Douglas - Island Point - Light sectors unreliable

Australian Maritime Safety Authority Auscoast Warning 172/2024

Light sectors emanating from the light, *FI(4)WR.20s 90m 11/9M* (16° 28'.92 S 145° 28'.02 E), should not be relied upon for safe navigation.

#### Chart temporarily affected - Aus 830

#### 446(T)/2024 AUSTRALIA - QUEENSLAND - Townsville - Wreck

Maritime Safety Queensland Notice 267(T)/2024

A wreck marked by a special light buoy, Fl.Y.3s, exists in position 19° 14'.75 S 146° 49'.63 E.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 256

#### **447(T)/2024 AUSTRALIA - NORTHERN TERRITORY - Groote Eylandt - North East Islet - Light unlit** Australian Maritime Safety Authority Auscoast Warning 148/2024

The light, *Fl.5s 62m 17M* (13° 38'.04 S 136° 57'.04 E), is unlit.

#### Chart temporarily affected - Aus 305 - Aus 4603 (INT 603)

#### **448(T)/2024** AUSTRALIA - TIMOR SEA - Sahul Banks - Survey operations completed Former Notice - 370(T)/2024 is cancelled SLR Consulting

Cancel this notice on receipt.

#### Chart formerly affected - Aus 312 - Aus 314 - Aus 315 - Aus 319 - Aus 321

449(T)/2024 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Scientific instruments northwestwards Former Notice - 121(T)/2024 is cancelled Fugro

Special light buoys, *Fl(5)Y.20s*, exist in the following positions: 19° 53'.71 S 113° 15'.20 E 19° 43'.68 S 114° 33'.97 E 20° 00'.54 S 115° 16'.83 E.

#### Chart temporarily affected - Aus 328 - Aus 4723 (INT 723)

**450(T)/2024** AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig northwards moved *Former Notice* - 22(T)/2024 is cancelled Diamond Offshore

Cancel this notice on receipt.

#### Chart formerly affected - Aus 319

#### **451(T)/2024** AUSTRALIA - WESTERN AUSTRALIA - Cape Naturaliste - Light restored *Former Notice* - 193(T)/2024 is cancelled Australian Maritime Safety Authority ATH 7/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 335 - Aus 755 - Aus 4060 (INT 60) - Aus 4070 (INT 70) - Aus 4708 (INT 708) - Aus 4709 (INT 709)

#### 452(T)/2024 AUSTRALIA - WESTERN AUSTRALIA - Cockburn Sound - Scientific instruments Department of Transport WA Notice 6071/2024

Subsurface scientific instruments, 0.5m above the seabed, exist in positions 32° 08'.19 S 115° 41'.62 E and 32° 13'.44 S 115° 42'.32 E.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 117 - Aus 754

#### **453(T)/2024** AUSTRALIA - WESTERN AUSTRALIA - Dampier - Scientific instruments recovered Former Notice - 292(T)/2023 is cancelled Department of Transport WA Notice 5682/2024, O2 Marine

Cancel this notice on receipt.

Chart formerly affected - Aus 57 - Aus 59 - Aus 327 - Aus 742

#### 454(T)/2024 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Cape Legendre to Hamersley Shoal -Scientific instruments

Department of Transport WA Notice 5682/2024, O2 Marine

Special light buoys, FI.Y.4s, exist in positions 20° 21'.20 S 116° 50'.45 E and 20° 22'.71 S 116° 47'.52 E.

#### Chart temporarily affected - Aus 57 - Aus 327

#### **455(T)/2024** AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Drilling operations Former Notice - 118(T)/2024 is cancelled Woodside Energy Ltd

Cancel this notice on receipt.

#### Chart formerly affected - Aus 4723 (INT 723)

456(T)/2024 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drilling operations northwestwards Woodside Energy Ltd

Drill rig Valaris DPS-1 and support vessels are conducting drilling operations in position 19° 54'.70 S 115° 08'.04 E.

Mariners are advised to navigate with caution in the area. 0.27M clearance requested.

#### Chart temporarily affected - Aus 328

#### **457(T)/2024** AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - FPSO on station northwestwards Former Notice - 226(T)/2024 is cancelled Woodside Energy Ltd

Cancel this notice on receipt.

#### Chart formerly affected - Aus 328 - Aus 329 - Aus 744 - Aus 4723 (INT 723)

**458(T)/2024 AUSTRALIA - WESTERN AUSTRALIA - Warnbro Sound - First Rock - Scientific instrument** Department of Transport WA Notice 6081/2024

A subsurface scientific instrument marked by a buoy exists in position 32° 18'.74 S 115° 41'.65 E.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 116

#### **459(T)/2024 AUSTRALIA - SOUTH AUSTRALIA - Yorke Peninsula - Sultana Point - Wreck** Department for Infrastructure and Transport SA Notice 27(T)/2024

A stranded wreck marked by an isolated danger light buoy, Fl(2)5s, exists in position 35° 05'.95 S 137° 45'.00 E.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 780 - Aus 781

#### **460(T)/2024** AUSTRALIA - VICTORIA - Cape Conran - Subsea operations southwards completed Former Notice - 905(T)/2023 is cancelled Cooper Energy

Cancel this notice on receipt.

#### Chart formerly affected - Aus 357 - Aus 487

#### **461(T)/2024 AUSTRALIA - VICTORIA - Ninety Mile Beach - Subsea operations eastwards** Helix Energy Solutions

Vessel *Helix* Q7000 is conducting subsea operations associated with the decommissioning of the wells Gudgeon-1 (38° 30'.90 S 148° 28'.08 E) and Terakihi-1 (38° 30'.35 S 148° 32'.72 E).

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 357 - Aus 487

**462(T)/2024 AUSTRALIA - VICTORIA - Port Phillip - Brighton - Light buoy relit** *Former Notice* - 1004(T)/2021 is cancelled Parks Victoria Notice 221/2024

Cancel this notice on receipt.

#### Chart formerly affected - Aus 155

**463(T)/2024** AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Light beacons restored Former Notice - 422(T)/2024 is cancelled Parks Victoria Notice 225/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 157

## HYDROGRAPHIC REPORTS

Locality	Report	Ship/Authority	Observer
SOUTHERN OCEAN- Macquarie Island	Anchor chains	RSV Nuyina	