



24 January 2025

Edition 2

AUSTRALIAN NOTICES TO MARINERS

Notices 76 - 113

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 2

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
76	Aus 256, 727
77	Products - New Charts and New Editions to be published shortly
78	Aus 811
79	Aus 821
80	Aus 301
81	Aus 292, 293, 296, 700, 839, 841
82	Aus 827
83	Aus 840, PNG 378
84	PNG 379, 647
85	Aus 839
86	Aus 25, 26
87	Aus 310
88	Aus 317, 4722, INT 722
89	Aus 55, 326, 327
90	Aus 335
91	Aus 59
92	Aus 57, 327
93	Aus 485, 780
94	Aus 155
95(T)	Aus 268
96(T)	Aus 262
97(T)	Aus 827
98(T)	Aus 236
99(T)	Aus 259
100(T)	Aus 256
101(T)	Aus 4
102(T)	Aus 26
103(T)	Aus 328
104(T)	Aus 328
105(T)	Aus 754
106(T)	Aus 328, 329, 744
107(T)	Aus 346, 485
108(T)	Aus 136, 778
109(T)	Aus 357, 487, 4060, 4601, INT 60, 601
110(T)	Aus 171, 767, 796, 797
111(T)	Aus 766, 797
112(T)	Aus 173, 795
113(T)	Aus 171, 796

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 2

Aus Chart	Notices	INT Chart	Notices
Aus 4	101(T)	INT 60	109(T)
Aus 25	86	INT 601	109(T)
Aus 26	86, 102(T)	INT 722	88
Aus 55	89		
Aus 57	92		
Aus 59	91		
Aus 136	108(T)		
Aus 155	94		
Aus 171	110(T), 113(T)		
Aus 173	112(T)		
Aus 236	98(T)		
Aus 256	76, 100(T)		
Aus 259	99(T)		
Aus 262	96(T)		
Aus 268	95(T)		
Aus 292	81		
Aus 293	81		
Aus 296	81		
Aus 301	80		
Aus 310	87		
Aus 317	88		
Aus 326	89		
Aus 327	89, 92		
Aus 328	103(T), 104(T), 106(T)		
Aus 329	106(T)		
Aus 335	90		
Aus 346	107(T)		
Aus 357	109(T)		
Aus 485	93, 107(T)		
Aus 487	109(T)		
Aus 700	81		
Aus 727	76		
Aus 744	106(T)		
Aus 754	105(T)		
Aus 766	111(T)		
Aus 767	110(T)		
Aus 778	108(T)		
Aus 780	93		
Aus 795	112(T)		
Aus 796	110(T), 113(T)		
Aus 797	110(T), 111(T)		
Aus 811	78		
Aus 821	79		
Aus 827	82, 97(T)		
Aus 839	81, 85		
Aus 840	83		
Aus 841	81		
Aus 4060	109(T)		
Aus 4601	109(T)		
Aus 4722	88		
PNG 378	83		
PNG 379	84		
PNG 647	84		

76 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 256 (Edition 4)	Australia - East Coast - Queensland - Cleveland Bay and Approaches	1:50 000	24/1/2025	New edition with general updating throughout; including nav aids, dredge channel and bathymetric data. Chart Aus 256 Edition 3 dated 4 Jul 2014 is now superseded and must be withdrawn from use.
Aus 727 (Edition 3)	Australia - North West Coast - Western Australia - Rocky Island to Eclipse Islands	1:150 000	24/1/2025	New edition with general updating throughout; including new bathymetric data. Chart Aus 727 Edition 2 dated 7 Mar 2003 is now superseded and must be withdrawn from use.

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NIL			

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

77 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

78	AUSTRALIA - NEW SOUTH WALES - Trial Bay - Light amended		
UKHO			
Aus 811 [692/2024]			
Amend	Light to <i>Fl.R.5M</i>	30° 52'.4 S	153° 01'.7 E
79	AUSTRALIA - QUEENSLAND - Hydrographers Passage - White Tip Reef - Light range amended		
Australian Maritime Safety Authority			
Aus 821 [584/2024]			
Amend	light to <i>Fl.10s 37m 19M & Fl.2s 35m 15M</i>	19° 55'.5 S	150° 16'.1 E
80	AUSTRALIA - QUEENSLAND - Port Musgrave - Mooring buoy		
Maritime Safety Queensland Notice 617/2024			
Aus 301 [950/2024]			
Insert	lit yellow barrel mooring buoy, <i>Fl.Y.5s</i>	12° 00'.17 S	141° 55'.67 E
81	AUSTRALIA - QUEENSLAND - TORRES STRAIT - Alpha Rock to Varzin Passage - Light buoys; AIS		
Former Notice - 601(T)/2024 is cancelled			
Maritime Safety Queensland Notice 613/2024			
Aus 292 [840/2024]			
Delete	light buoy and magenta circle with legend, AIS	10° 28'.3 S	142° 26'.8 E
	light buoy and magenta circle with legend, AIS	10° 36'.4 S	142° 30'.7 E
Aus 293 [10/2025]			
Delete	light buoy and magenta circle with legend, AIS	10° 28'.30 S	142° 26'.80 E
	light buoy and magenta circle with legend, AIS	10° 31'.20 S	142° 10'.49 E
Aus 296 [806/2024]			
Delete	light buoy and magenta circle with legend, AIS	10° 32'.09 S	141° 51'.89 E
	light buoy and magenta circle with legend, AIS	10° 33'.41 S	141° 59'.50 E
Aus 700 [NE 25/10/2024]			
Delete	light buoy and magenta circle with legend, AIS	10° 33'.4 S	141° 59'.5 E
Aus 839 [840/2024]			
Delete	light buoy and magenta circle with legend, AIS	10° 28'.3 S	142° 26'.8 E
	light buoy and magenta circle with legend, AIS	10° 36'.4 S	142° 30'.7 E
Aus 841 [395/2024]			
Delete	light buoy and magenta circle with legend, AIS	10° 28'.3 S	142° 26'.8 E
82	AUSTRALIA - QUEENSLAND - Townsville - Nav aids; depths		
Maritime Safety Queensland			
Aus 827 [9/2025]			
Insert	accompanying block	19° 09'.9 S	146° 51'.8 E
83	PAPUA NEW GUINEA - Bobo Island - Depth southwards		
National Maritime Safety Authority PNG			
Aus 840 [430/2024]			
Insert	depth, $1\frac{1}{4}m$, enclosed by contour with legend, <i>Rep (2025)</i>	09° 11'.17 S	143° 15'.48 E
PNG 378 [933/2021]			
Insert	depth, $1\frac{1}{4}m$, enclosed by contour with legend, <i>Rep (2025)</i>	09° 11'.17 S	143° 15'.48 E
Delete	depth, $12\frac{1}{8}m$	09° 11'.4 S	143° 16'.0 E

84 PAPUA NEW GUINEA - Gulf of Papua - Redscar Bay - Depth

National Maritime Safety Authority PNG

PNG 379 [646/2023]

Insert	depth, 13 ₃ m, with legend, <i>Rep (2025)</i> and extend contour NW to enclose	09° 10'.36 S	146° 35'.35 E
--------	---	--------------	---------------

PNG 647 [NC 4/10/2019]

Insert	depth, 34m, and extend contour NW to enclose	09° 11'.10 S	146° 36'.34 E
--------	--	--------------	---------------

85 AUSTRALIA - TORRES STRAIT - Tuesday Islets - Foul ground eastwards

UKHO

Aus 839 [81/2025]

Insert	#, centred on	10° 34'.06 S	142° 24'.85 E
--------	---------------	--------------	---------------

86 AUSTRALIA - NORTHERN TERRITORY - Dawrin - West point - Jetty

Northern Territory Government

Aus 25 [772/2024]

Insert	continuous line, between	12° 26'.53 S	130° 45'.98 E
		12° 26'.52 S	130° 46'.00 E
		12° 26'.49 S	130° 46'.00 E
	continuous line, between	12° 26'.42 S	130° 45'.95 E
		12° 26'.42 S	130° 46'.00 E
		12° 26'.44 S	130° 46'.02 E

Aus 26 [515/2024]

Insert	continuous line, between	12° 26'.53 S	130° 45'.98 E
		12° 26'.52 S	130° 46'.00 E
		12° 26'.49 S	130° 46'.00 E

87 AUSTRALIA - NORTHERN TERRITORY - Goodrich Bank - Scientific instrument northwestwards*Former Notice - 678(T)/2023 is cancelled*

Australian Bureau of Meteorology

Aus 310 [640/2024]

Delete	light buoy	10° 19'.2 S	129° 57'.1 E
--------	------------	-------------	--------------

88 INDONESIA - Palau Roti - Light, Light Range

UKHO

Aus 317 [553/2024]

Insert	light, <i>Fl.4s 14M</i>	10° 51'.8 S	122° 59'.0 E
--------	-------------------------	-------------	--------------

Amend	light range to 14M	10° 25'.9 S	123° 22'.5 E
-------	--------------------	-------------	--------------

Aus 4722 (INT 722) [895/2024]

Insert	light, <i>Fl. 14M</i>	10° 51'.8 S	122° 59'.0 E
--------	-----------------------	-------------	--------------

Amend	light range to 14M	10° 25'.9 S	123° 22'.5 E
-------	--------------------	-------------	--------------

89 AUSTRALIA - WESTERN AUSTRALIA - Cape Lambert - Delambre Reef - Depths

Department of Transport WA

Aus 55 [955/2024]

Insert	depth, 11 ₆ m, and extend contour SE to enclose	20° 24'.55 S	117° 24'.57 E
	depth, 8 ₃ m, enclosed by contour	20° 26'.30 S	117° 19'.71 E
	depth, 7 ₆ m, and extend contour NW to enclose	20° 27'.50 S	117° 13'.09 E
	depth, 7 ₆ m, enclosed by contour	20° 27'.61 S	117° 15'.96 E
Delete	depth, 14 ₈ m	20° 24'.5 S	117° 24'.4 E
	depth, 9 ₄ m	20° 27'.7 S	117° 13'.1 E

Aus 326 [955/2024]

Insert	depth, 8 ₃ m, enclosed by contour	20° 26'.30 S	117° 19'.71 E
	depth, 7 ₆ m, and extend contour N to enclose	20° 27'.61 S	117° 15'.96 E

Aus 327 [776/2024]

Insert	depth, 7 ₆ m, and extend contour N to enclose	20° 27'.61 S	117° 15'.96 E
--------	--	--------------	---------------

90 AUSTRALIA - WESTERN AUSTRALIA - Cape Naturaliste - Light buoy moved

Department of Transport WA

Aus 335 [NE 21/6/2024]

Move	light buoy	33° 32'.08 S	114° 45'.86 E
	to	33° 31'.53 S	114° 46'.33 E

91 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Light buoy

RPS MetOcean

Aus 59 [518/2024]

Move	light buoy	20° 34'.91 S	116° 46'.10 E
	to	20° 34'.927 S	116° 46'.077 E
	light buoy	20° 34'.96 S	116° 45'.23 E
	to	20° 34'.944 S	116° 45'.207 E

92 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Madeleine Shoals - Wreck*Former Notice - 455(T)/2023 is cancelled*

Australian Maritime Safety Authority

Aus 57 [NE 21/6/2024]

Insert	non-dangerous wreck	20° 18'.46 S	116° 53'.98 E
--------	---------------------	--------------	---------------

Aus 327 [89/2025]

Insert	non-dangerous wreck	20° 18'.46 S	116° 53'.98 E
--------	---------------------	--------------	---------------

93 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - American River - Light beacon

Department for Infrastructure and Transport SA NTM 008/2025

Aus 485 [18/2025]

Delete	structure colour, R	35° 46'.7 S	137° 47'.9 E
--------	---------------------	-------------	--------------

Aus 780 [898/2024]

Delete	structure colour, R	35° 46'.7 S	137° 47'.9 E
--------	---------------------	-------------	--------------

94 AUSTRALIA - VICTORIA - Hobsos Bay - Artificial reef

Parks Victoria NTM 482/2024

Aus 155 [20/2025]

Replace	minimum depth, 2 ₅ m, with minimum depth, 3 ₄ m	37° 51'.37 S	144° 56'.81 E
---------	---	--------------	---------------

95(T)/2025 AUSTRALIA - QUEENSLAND - Bowen - Obstruction removed

Former Notice - 461(T)/2017 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 268**96(T)/2025 AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Wreck recovered**

Former Notice - 277(T)/2022 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 262**97(T)/2025 AUSTRALIA - QUEENSLAND - Cape Bowling Green - Obstruction; light buoy removed**

Former Notice - 105(T)/2020 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 827**98(T)/2025 AUSTRALIA - QUEENSLAND - Deception Bay - Light buoy**

Maritime Safety Queensland NTM 010(T)/2025

A special light buoy, *Fl.Y.4s*, exists in position 27° 06'.63 S 153° 07'.32 E.

Chart temporarily affected - Aus 236**99(T)/2025 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Oyster Point - Wreck removed**

Former Notice - 215(T)/2018 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 259**100(T)/2025 AUSTRALIA - QUEENSLAND - Townsville - Wreck recovered**

Former Notice - 1008(T)/2020 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 256**101(T)/2025 AUSTRALIA - QUEENSLAND - Weipa - Albatross Bay - Scientific instruments removed**

Former Notice - 603(T)/2019 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 4

102(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Darwin - Survey operations; dredging operations

Former Notice - 38(T)/2025 is cancelled

Northern Territory Government Notice 57/2024, 116/2024, 01/2025

Vessel *Edendrach* is conducting survey operations in an area bounded by the following positions:

12° 30'.23 S 130° 53'.46 E
 12° 30'.22 S 130° 54'.29 E
 12° 29'.36 S 130° 54'.28 E
 12° 29'.36 S 130° 53'.46 E.

The dredges *Woomera*, *Nulla Nulla* and support vessels *Stradbroke*, *PM South*, *Salute* and *Groote Eylandt* are conducting dredging operations in the area.

A closed waters area has been established by the following positions.

12° 29'.50 S 130° 53'.75 E
 12° 29'.67 S 130° 53'.80 E
 12° 29'.67 S 130° 54'.15 E
 12° 29'.42 S 130° 54'.14 E.

Entry into or transit through closed waters is prohibited to all vessels except those authorised.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 26**103(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Subsea operations westwards**

Santos

MV *Skandi Singapore* is conducting subsea operations in the vicinity of position 20° 36'.06 S 114° 55'.17 E.

A 500m radius exclusion zone exists around the vessel.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328**104(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Subsea operations northwestwards**

Former Notice - 332(T)/2024 is cancelled

DSV Skandi Singapore

Cancel this notice on receipt.

Chart formerly affected - Aus 328**105(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Hilarys Boat Harbour - Scientific instrument westwards**

University of Western Australia

A special light buoy, *Fl.Y.2.5s*, exists in position 31° 50'.72 S 115° 38'.78 E.

Chart temporarily affected - Aus 754**106(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Wave glider northwestwards**

Blue Ocean Monitoring

An underwater glider is operating in an area bounded by the following positions:

21° 41'.0 S 114° 11'.0S
 21° 23'.0 S 114° 27'.0S
 21° 06'.5 S 113° 56'.5S
 19° 37'.0 S 113° 22'.5S
 19° 44'.0 S 113° 01'.5S
 21° 31'.0 S 113° 37'.5S.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

107(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Tide gauges, buoys southward
Guardian Geomatics

Subsurface tide gauges marked by light buoys, *Fl. Y.5s*, exist in the following positions:

35° 54'.1 S 137° 52'.6 E
36° 06'.2 S 137° 52'.7 E
36° 12'.1 S 137° 36'.5 E
36° 15'.4 S 137° 22'.5 E
36° 25'.3 S 137° 20'.9 E
36° 22'.1 S 137° 36'.5 E
36° 07'.2 S 137° 24'.2 E
36° 56'.4 S 137° 39'.0 E
36° 16'.5 S 137° 53'.3 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 346 - Aus 485

108(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Spencer Gulf - Point Lowly - Shoaling charted

Former Notice - 658(P)/2024 is cancelled
Office of Hydrogen Power South Australia

Cancel this notice on receipt.

Chart formerly affected - Aus 136 - Aus 778

109(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Survey operations

Former Notice - 929(T)/2024 is cancelled
Safe Transport Victoria NTM 040(T)/2025

An unmanned surface vehicle (USV) will be conducting survey operations in areas bounded by the coast and the following positions:

38° 27'.32 S 147° 05'.64 E
38° 33'.63 S 147° 03'.27 E
38° 27'.29 S 147° 11'.17 E
38° 25'.19 S 147° 08'.40 E;
and
38° 23'.21 S 147° 10'.89 E
38° 25'.34 S 147° 13'.52 E
38° 19'.48 S 147° 21'.06 E
38° 22'.02 S 147° 12'.48 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 357 - Aus 487 - Aus 4060 (INT 60) - Aus 4601 (INT 601)

110(T)/2025 AUSTRALIA - TASMANIA - Betsey Island to Saint Helens Point - Scientific instruments restored

Former Notice - 766(T)/2024 is cancelled
Marine and Safety Tasmania

Cancel this notice on receipt.

Chart formerly affected - Aus 171 - Aus 767 - Aus 796 - Aus 797

111(T)/2025 AUSTRALIA - TASMANIA - Mercury Passage - Buoy

Former Notice - 1017(T)/2024 is cancelled
Marine and Safety Tasmania Notice M443(T)/2024

A special pink buoy, exists in position 42° 31'.83 S 148° 01'.69 E.

Chart temporarily affected - Aus 766 - Aus 797

112(T)/2025 AUSTRALIA - TASMANIA - Port Esperance - Hope Island - Light restored

Former Notice - 73(T)/2025 is cancelled

Marine and Safety Tasmania Notice M027(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 173 - Aus 795**113(T)/2025 AUSTRALIA - TASMANIA - River Derwent - Limekiln Point - Light beacon destroyed**

Former Notice - 74(T)/2025 is cancelled

Marine and Safety Tasmania Notice M028(T)/2025

The starboard lateral light beacon, *Fl.G.2s* (42° 50'.80 S 147° 20'.22 E), has been destroyed, a starboard lateral light buoy, *Fl.G.2s*, exist in situ.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 171 - Aus 796

II

HYDROGRAPHIC REPORTS

NIL

