

30 May 2025 Edition 11

# AUSTRALIAN NOTICES TO MARINERS

### Notices 426 - 470

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN Hydrographer of Australia

#### SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.

#### SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.

#### © Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

#### **IMPORTANT NOTICE**

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

#### **GENERAL INSTRUCTIONS**

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

#### REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail **datacentre@hydro.gov.au** or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

### **AUTHORISED USE**

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (<a href="www.hydro.gov.au/prodserv/agents-list.htm">www.hydro.gov.au/prodserv/agents-list.htm</a>). Copies of the notices may not be sold for profit without prior written agreement.

# **NUMERICAL INDEX OF NOTICES TO MARINERS**

## **Edition No 11**

| Notices | Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs |
|---------|--|
| 426     | Aus 292, 293, 597, 605, 839, 841, INT 7746   |
| 427     | Aus 780, 781                                 |
| 428     | Aus 198                                      |
| 429     | Aus 204                                      |
| 430     | Aus 248, 367, 820                            |
| 431     | Aus 22                                       |
| 432     | Aus 309, 316                                 |
| 433     | Aus 318                                      |
| 434     | Aus 40                                       |
| 435     | Aus 327, 328, 4723, INT 723                  |
| 436     | Aus 744                                      |
| 437     | Aus 64                                       |
| 438     | Aus 781                                      |
| 439(T)  | Aus 245                                      |
| 440(T)  | Aus 245, 246                                 |
| 441(T)  | Aus 819, 820                                 |
| 442(T)  | Aus 249, 823                                 |
| 443(T)  | Aus 828                                      |
| 444(T)  | Aus 826                                      |
| 445(T)  | Aus 4622, INT 622, PNG 386, 387              |
| 446(T)  | Aus 4622, INT 622, PNG 389, 651              |
| 447(T)  | Aus 26                                       |
| 448(T)  | Aus 310                                      |
| 449(T)  | Aus 4723, INT 723                            |
| 450(T)  | Aus 327                                      |
| 451(T)  | Aus 319                                      |
| 452(T)  | Aus 118                                      |
| 453(T)  | Aus 328                                      |
| 454(T)  | Aus 328, 329                                 |
| 455(T)  | Aus 328, 329                                 |
| 456(T)  | Aus 53                                       |
| 457(T)  | Aus 326                                      |
| 458(T)  | Aus 327                                      |
| 459(P)  | Aus 65, 742                                  |
| 460(T)  | Aus 341, 342, 4709, INT 709                  |
| 461(T)  | Aus 357, 487                                 |
| 462(T)  | Aus 349                                      |
| 463(T)  | Aus 349, 487                                 |
| 464(T)  | Aus 143, 155                                 |
| 465(T)  | Aus 143                                      |
| 466(T)  | Aus 155                                      |
| 467(T)  | Aus 143                                      |
| 468(T)  | Aus 143                                      |
| 469(T)  | Aus 143                                      |
| 470(T)  | Aus 143, 144                                 |
| 110(1)  | preserve, 111                                |

30 May 2025

#### ١

## **NUMERICAL INDEX OF CHARTS AFFECTED**

## **Edition No 11**

| Aus Chart            | Notices                                 |
|----------------------|---|
| Aus 22               | 431                                     |
| Aus 26               | 447(T)                                  |
| Aus 40               | 434                                     |
| Aus 53               | 456(T)                                  |
| Aus 64               | 437                                     |
| Aus 65               | 459(P)                                  |
| Aus 118              | 452(T)                                  |
| Aus 143              | 464(T), 465(T), 467(T), 468(T), 469(T), |
|                      | 470(T)                                  |
| Aus 144              | 470(T)                                  |
| Aus 155              | 464(T), 466(T)                          |
| Aus 198              | 428                                     |
| Aus 204              | 429                                     |
| Aus 245              | 439(T), 440(T)                          |
| Aus 246              | 440(T)                                  |
| Aus 248              | 430                                     |
| Aus 249              | 442(T)                                  |
| Aus 292              | 426                                     |
| Aus 293              | 426                                     |
| Aus 309              | 432                                     |
| Aus 310              | 448(T)                                  |
| Aus 316<br>Aus 318   | 432<br>433                              |
| Aus 319              |   |
| Aus 319<br>Aus 326   | 451(T)<br>457(T)                        |
| Aus 327              | 435, 450(T), 458(T)                     |
| Aus 328              | 435, 453(T), 454(T), 455(T)             |
| Aus 329              | 454(T), 455(T)                          |
| Aus 341              | 460(T)                                  |
| Aus 342              | 460(T)                                  |
| Aus 349              | 462(T), 463(T)                          |
| Aus 357              | 461(T)                                  |
| Aus 367              | 430                                     |
| Aus 487              | 461(T), 463(T)                          |
| Aus 597              | 426                                     |
| Aus 605              | 426                                     |
| Aus 742              | 459(P)                                  |
| Aus 744              | 436                                     |
| Aus 780              | 427                                     |
| Aus 781              | 427, 438                                |
| Aus 819              | 441(T)                                  |
| Aus 820              | 430, 441(T)                             |
| Aus 823              | 442(T)                                  |
| Aus 826              | 444(T)                                  |
| Aus 828              | 443(T)                                  |
| Aus 839              | 426                                     |
| Aus 841<br>Aus 4622  | 426<br>445(T), 446(T)                   |
| Aus 4709             | 460(T)                                  |
| Aus 4709<br>Aus 4723 | 435, 449(T)                             |
| PNG 386              | 445(T)                                  |
| PNG 387              | 445(T)                                  |
| PNG 389              | 446(T)                                  |
| PNG 651              | 446(T)                                  |
| . 110 001            |   |

| INT Chart | Notices        |
|-----------|----------------|
| INT 7746  | 426            |
| INT 622   | 445(T), 446(T) |
| INT 709   | 460(T)         |
| INT 723   | 435, 449(T)    |

#### 426 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

**New Charts** 

(Edition 4)

Chart Title and Geographical limits Scale Publication Date Remarks

NIL

**New Electronic Navigation Chart (Aus ENC)** 

Cell Name Title Publication Date Remarks

NIL

**New Editions and Withdrawn Charts** 

Chart Title Scale Publication Date Remarks

Aus 292 Australia - Torres Strait - Queensland - 1:75 000 30/5/2025 New edition with general

(Edition 2) Whyborn Reef to Twin Island updating throughout;

including latest bathymetric data.

Chart Aus 292 Edition 1

dated 16 Jan 2015 is now superseded and must be withdrawn

from use.

Aus 293 Australia - North Coast - Torres Strait - 1:37 500 30/5/2025 New edition with general

(Edition 4) Prince of Wales Channel updating throughout;

including latest bathymetric data.

Chart Aus 293 Edition 3 dated 9 Dec 2022 is now superseded and must be withdrawn from use.

New edition with general

updating throughout;

including new ESSA

Aus 597 Australia - Southern Ocean - 1:1 500 000 30/5/2025

(INT 7746) Approaches to Heard Island

limits.
Chart Aus 597 Edition 3
dated 13 Jul 2018 is
now superseded and
must be withdrawn

from use.

Aus 605 Australia - Southern Ocean - Heard and 1:150 000 30/5/2025

(Edition 4) McDonald Islands

Plan:

Atlas Cove 1:45 000

New edition with general updating throughout;

including new ESSA

limits.

Chart Aus 605 Edition 3 dated 13 Jul 2018 is now superseded and must be withdrawn

from use.

Aus 839 Australia - East Coast - Queensland - 1:150 000 30/5/2025 New edition with general

(Edition 11) Cairncross Islets to Arden Island

updating throughout; including latest bathymetric data.
Chart Aus 839 Edition 10 dated 14 Apr 2023 is now superseded and must be withdrawn

from use.

#### 426 AUSTRALIA - Products - New Charts. New Editions, Withdrawn Charts

#### **New Editions and Withdrawn Charts** (continued)

Chart Title Scale Publication Date Remarks

Aus 841 Australia - Papua New Guinea - Torres 1:150 000 30/5/2025 New edition with general (Edition 3) Strait - Kirkcaldie Reef to Boigu Island updating throughout;

including latest bathymetric data.

Chart Aus 841 Edition 2 dated 22 Mar 2015 is now superseded and must be withdrawn

from use.

#### Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

# 427 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

### New Charts to be published shortly

Chart Title Scale Remarks

NIL

### New Editions to be published shortly

Chart Title Scale Remarks
Aus 780 Australia - South Coast - South Australia - Althorpe Islands to 1:150 000 New editi

Australia - South Coast - South Australia - Althorpe Islands to 1:150 000 Backstairs Passage

New edition with general updating throughout; including latest bathymetric data.

Aus 781 Australia - South Coast - South Australia - Gulf St Vincent 1:150 000

New edition with general updating throughout:

including latest bathymetric data.

#### 428 AUSTRALIA - NEW SOUTH WALES - Botany Bay - Kurnell to La Perouse - Jetty

Former Notice - 608(T)/2023 is cancelled Australian Geospatial-Intelligence Organisation

Aus 198 [388/2025]

Insert continuous line, between 33° 59'.226 S 151° 13'.718 E 33° 59'.221 S 151° 13'.771 E 33° 59'.260 S 151° 13'.804 E continuous line, between 34° 00'.225 S 151° 13'.058 E 34° 00'.130 S 151° 12'.996 E

### 429 AUSTRALIA - NEW SOUTH WALES - Brisbane Water - Depths; navaids

Transport for NSW

Aus 204 [353/2025]

Insert accompanying block 33° 29'.7 S 151° 20'.4 E

#### 430 **AUSTRALIA - QUEENSLAND - Quoin Island - Rock XOCEAN** Aus 248 [392/2025] depth, 4,m, enclosed by danger circle with legend, R 22° 34'.353 S 150° 48'.186 E Insert Aus 367 [119/2025] depth, 4<sub>6</sub>m, with legend, R, and extend danger line SE to enclose 22° 34'.35 S 150° 48'.19 E Insert Aus 820 [90/2024] depth, 4<sub>c</sub>m, enclosed by danger circle with legend, R 150° 48'.19 E Insert 22° 34'.35 S 431 AUSTRALIA - NORTHERN TERRITORY - Apsley Strait - Port Melville - Mooring buoys Department of Defence Aus 22 (Port Melville) [NE 18/4/2025] yellow barrel mooring buoy 11° 25'.202 S 130° 25'.051 E Insert yellow barrel mooring buoy 11° 25'.415 S 130° 25'.231 E 432 AUSTRALIA - NORTHERN TERRITORY - Fenton Patches to Howland Shoals - Scientific instruments Northern Territory Government Notice 20(T)/2025 Aus 309 [397/2025] Insert special spar light buoy, Fl.Y.5s, without topmark 12° 10'.23 S 130° 44'.09 E Aus 316 [356/2025] special spar light buoy, Fl.Y.5s, without topmark 13° 51'.84 S 129° 26'.14 E Insert special spar light buoy, Fl.Y.5s, without topmark 13° 56'.10 S 129° 24'.47 E 433 **AUSTRALIA - WESTERN AUSTRALIA - Cambridge Gulf - Depths** Australian Hydrographic Office Aus 318 (Cambridge Gulf) [204/2025] 15° 00'.2 S Replace depth, $7_5$ m, with depth, $7_8$ m 128° 07'.8 E 15° 05'.8 S depth, 6m, with depth, 82m 128° 06'.4 E

434 AUSTRALIA - WESTERN AUSTRALIA - Koolan Island - The Canal - Artificial reef

Kimberley Ports Authority

Aus 40 [131/2025]

Replace depth, 5<sub>7</sub>m, with fish haven with minimum depth, 5<sub>5</sub>m 16° 07'.42 S 123° 43'.12 E

| <b>'</b>   |  |   |  |  |
|--|--|---|--|--|
| 435 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands to Exmouth Woodside Energy Ltd  | Plateau - Pipelir  | ne northwards   |  |  |
| Aus 327 [92/2025] Insert supply pipeline with magenta legend, Gas (see Note), between  | 20° 03'.12 S<br>20° 03'.13 S<br>20° 03'.55 S<br>20° 02'.97 S   | 115° 21'.01 E<br>115° 23'.00 E<br>115° 25'.42 E<br>115° 31'.23 E  |  |  |
| Aus 328 [845/2024] Insert supply pipeline with magenta legend, Gas (see Note), between   | 19° 54'.53 S<br>19° 55'.74 S<br>20° 01'.07 S<br>19° 56'.04 S<br>19° 45'.99 S<br>19° 45'.63 S<br>19° 46'.66 S<br>19° 43'.95 S<br>19° 42'.32 S<br>19° 42'.32 S<br>19° 42'.27 S<br>19° 47'.24 S<br>19° 47'.24 S<br>19° 51'.41 S<br>19° 55'.29 S<br>20° 02'.75 S<br>20° 03'.10 S<br>20° 03'.55 S<br>20° 02'.97 S | 113° 33'.51 E 113° 40'.80 E 113° 56'.40 E 114° 11'.09 E 114° 22'.84 E 114° 24'.40 E 114° 35'.27 E 114° 37'.53 E 114° 37'.53 E 115° 01'.77 E 115° 03'.00 E 115° 13'.47 E 115° 13'.47 E 115° 17'.03 E 115° 17'.72 E 115° 23'.00 E 115° 25'.42 E 115° 31'.23 E |  |  |
| Aus 4723 (INT 723) [850/2024]  |  |   |  |  |
| Insert supply pipeline with magenta legend, <i>Gas</i> , between   | 19° 54'.7 S 19° 53'.2 S 19° 55'.7 S 20° 01'.2 S 19° 55'.9 S 19° 45'.6 S 19° 46'.7 S 19° 42'.1 S 19° 48'.0 S 19° 47'.1 S 19° 55'.2 S 20° 03'.1 S 20° 03'.1 S  | 113° 14'.0 E<br>113° 14'.6 E<br>113° 16'.9 E<br>113° 40'.8 E<br>113° 56'.4 E<br>114° 11'.2 E<br>114° 23'.5 E<br>114° 29'.4 E<br>114° 38'.5 E<br>114° 54'.3 E<br>115° 01'.8 E<br>115° 13'.3 E<br>115° 17'.3 E<br>115° 26'.1 E<br>115° 30'.6 E                |  |  |
| 436 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Offshore safet<br>Australian Hydrographic Office                                  | y zone northwes  | twards  |  |  |
| Aus 744 [247/2025] Insert restricted area with radius 0·27M, centred on  | 21° 24'.21 S   | 114° 05'.29 E   |  |  |
| 437 AUSTRALIA - WESTERN AUSTRALIA - Port of Ashburton - Four Mile Creek - Buoy Pilbara Ports Authority                                 |  |   |  |  |
| <b>Aus 64</b> [206/2025] Delete buoy   | 21° 40'.7 S  | 115° 02'.8 E  |  |  |
| 438 AUSTRALIA - SOUTH AUSTRALIA - Port Noarlunga - Scientific instrum Department for Infrastructure and Transport SA Notice 33(T)/2025 | nent   |   |  |  |
| Aus 781 [361/2025] Insert special pillar light buoy, FI(3)Y.30s, without topmark   | 35° 08'.71 S   | 138° 27'.80 E   |  |  |

30 May 2025 8

# 439(T)/2025 AUSTRALIA - QUEENSLAND - Gladstone - North Passage Island - Scientific instrument Maritime Safety Queensland Notice 215(T)/2025

On or about 10 June 2025, a special light buoy, FI.Y.4s, will be deployed in position 23° 45'.78 S 151° 09'.94 E.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 245

#### 440(T)/2025 AUSTRALIA - QUEENSLAND - Gladstone - South Trees Inlet - Harbour works completed

Former Notice - 481(T)/2024 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 245 - Aus 246

#### 441(T)/2025 AUSTRALIA - QUEENSLAND - Great Keppel Island - Light beacon relit

Former Notice - 26(T)/2025 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 819 - Aus 820

#### 442(T)/2025 AUSTRALIA - QUEENSLAND - Hay Point - Obstruction removed

Former Notice - 407(T)/2025 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 823

#### 443(T)/2025 AUSTRALIA - QUEENSLAND - Hinchinbrook Island - Missionary Bay - Light buoy off station

Maritime Safety Queensland Notice 208(T)/2025

The special light buoy, FI.Y.4s (18 $^{\circ}$  12'.34 S 146 $^{\circ}$  09'.36 E), is off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 828

#### 444(T)/2025 AUSTRALIA - QUEENSLAND - Upstart Bay - Light buoys off station; light buoy unlit

Maritime Safety Queensland Notice 204(T)/2025, 205(T)/2025

The following light buoys are off station:

Position Remarks

19° 43'.59 S 147° 35'.96 E starboard lateral light buoy, *Fl.G.3s* 19° 43'.59 S 147° 36'.37 E port lateral light buoy, *Fl.R.4s* port lateral light buoy, *Fl.R.1*·5s.

The special light buoy, Fl.Y.4·3s (19° 43'.09 S 147° 37'.60 E), is unlit.

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 826

#### 445(T)/2025 PAPUA NEW GUINEA - Kitumala (Fortification) Point - Light unlit

National Maritime Safety Authority PNG Coastal Navigation Warning 4/2025

The light, FI(2)8s 27m 8M (6° 19'.16 S 147° 48'.35 E), is unlit.

Chart temporarily affected - Aus 4622 (INT 622) - PNG 386 - PNG 387

#### 446(T)/2025 PAPUA NEW GUINEA - Unei Island - Light relit

Former Notice - 367(T)/2024 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 3/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 4622 (INT 622) - PNG 389 - PNG 651

#### 447(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Darwin - Harbour works; dredging operations

Former Notice - 299(T)/2025 is cancelled

Northern Territory Government Notice 48/2025

A closed waters area has been established in an area bounded by the coast and the following:

| Position                    | Remark                 |
|-----------------------------|------------------------|
| 12° 29'.42 S 130° 53'.72 E  |                        |
| 12° 29'.50 S 130° 53'.75 E  | marked by special buoy |
| 12° 29'.67 S 130° 53'.80 E  | marked by special buoy |
| 12° 29'.67 S 130° 54'.15 E  | marked by special buoy |
| 12° 29'.42 S 130° 54'.14 E  | marked by special buoy |
| 12° 29'.41 S 130° 54'.11 E. |                        |

Entry into or transit through closed waters is prohibited to all vessels except those authorised.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 26

# 448(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Lynedoch Bank - Light buoy northwestwards Santos

A special light buoy, Fl.Y, exists in position 9° 49'.28 S 130° 16'.17 E.

Chart temporarily affected - Aus 310

# 449(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Drilling operations Woodside Energy Ltd

On or about 4 June 2025, drill rig *Valaris DPS-1* and support vessels will be conducting drilling operations in the following positions:

```
19° 45'.88 S 113° 14'.46 E 19° 49'.46 S 113° 13'.14 E 19° 52'.51 S 113° 06'.69 E 19° 52'.65 S 113° 13'.41 E 19° 53'.31 S 113° 10'.06 E 19° 53'.45 S 113° 08'.73 E 19° 53'.51 S 113° 08'.73 E 19° 53'.81 S 113° 06'.92 E.
```

Mariners are advised to navigate with caution in the area.

#### Chart temporarily affected - Aus 4723 (INT 723)

#### AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig moved northwestwards

Former Notice - 338(T)/2025 is cancelled

MODU Ocean Apex

Cancel this notice on receipt.

Chart formerly affected - Aus 327

#### 451(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Goeree Shoal - Subsea operations southeastwards McDermott Australia

On or about 1 June 2025, vessel DLV2000 will be conducting subsea operations in the vicinity of position 12° 57'.87 S 124° 26'.55 E.

Mariners are advised to navigate with caution in the area. 2.5M clearance requested.

Chart temporarily affected - Aus 319

#### AUSTRALIA - WESTERN AUSTRALIA - King George Sound - Middleton Bay - Scientific instrument 452(T)/2025 Department of Transport WA Notice 6453/2025

A special light buoy, Fl.Y.2·5s, exists in position 35° 00'.97 S 117° 55'.73 E.

Chart temporarily affected - Aus 118

#### AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwards 453(T)/2025 MODU Ocean Apex

Drill rig Ocean Apex is conducting drilling operations in position 19° 47'·16 S 115° 19'·14 E.

Chart temporarily affected - Aus 328

#### 454(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Subsea operations northwestwards Santos

On or about 2 June 2025, vessel Fugro Etive will be conducting subsea operations in an area bounded by the following positions:

21° 24'.84 S 114° 03'.59 E

21° 24'.84 S 114° 05'.92 E

21° 19'.73 S 114° 05'.92 E

21° 19'.73 S 114° 03'.59 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 329

#### 455(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Scientific instrument recovered northwestwards

Former Notice - 828(T)/2024 is cancelled **Fugro** 

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329

30 May 2025 11

#### 456(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Light buoy removed

Pilbara Ports Authority Notice PH7/2025

The special light buoy, Q.Y (20° 00'.33 S 118° 26'.30 E), has been removed; a special buoy exists in situ.

Mariners are advised to refrain from entering the immediate area.

Chart temporarily affected - Aus 53

#### 457(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Obstruction removed

Former Notice - 228(T)/2025 is cancelled

Pilbara Ports Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 326

#### 458(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Subsea operations

Woodside Energy Ltd

On or about 4 June 2025, MV Offshore Solution will be conducting subsea operations in the vicinity of the following positions:

19° 34'.21 S 116° 09'.56 E 19° 35'.06 S 116° 06'.78 E 19° 35'.87 S 116° 07'.59 E 19° 40'.62 S 115° 53'.83 E 19° 41'.55 S 115° 50'.98 E 19° 41'.56 S 115° 53'.82 E 19° 46'.06 S 115° 53'.21 E 19° 50'.89 S 115° 43'.35 E.

Mariners are advised to navigate with caution in the area. 500m clearance requested.

Chart temporarily affected - Aus 327

### 459(P)/2025 AUSTRALIA - WESTERN AUSTRALIA - Varanus Island - Shoaling

Precision Hydrographic Services

Latest survey indicates shoaler depths than those charted may exist in an area bounded by the following positions:

20° 37'.35 S 115° 32'.83 E 20° 37'.36 S 115° 33'.71 E 20° 38'.00 S 115° 34'.60 E 20° 39'.70 S 115° 36'.69 E 20° 39'.87 S 115° 36'.16 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 65 - Aus 742

#### 460(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Gibson Peninsula - Cape Bauer - Light relit

Former Notice - 230(T)/2025 is cancelled Department for Infrastructure and Transport SA

Cancel this notice on receipt.

Chart formerly affected - Aus 341 - Aus 342 - Aus 4709 (INT 709)

#### 461(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Wreck southwards

Safe Transport Victoria Notice 279(T)/2025, Gippsland Ports Notice 6/2025, Australian Maritime Safety Authority Auscoast Warning 170/2025

A wreck marked by a virtual AIS, TB4, exists in position 38° 34'.91 S 147° 05'.97 E.

Marines are advised to navigate with caution in the area.

Chart temporarily affected - Aus 357 - Aus 487

#### 462(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations completed southwards

Former Notice - 1004(T)/2024 is cancelled Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 349

#### 463(T)/2025 AUSTRALIA - VICTORIA - Port Campbell to Cape Paterson - Survey operations completed southwards

Former Notice - 64(T)/2025 is cancelled Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 349 - Aus 487

#### 464(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Altona - Harbour works completed

Former Notice - 777(T)/2023 is cancelled

Parks Victoria Notice 549/2023

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

#### 465(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Light beacon restored

Former Notice - 589(T)/2023 is cancelled

Ports Victoria Notice 251/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 143

#### 466(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Point Cook - Buoy off station

Parks Victoria Notice 236(T)/2025

The special buoy (37° 55'.48 S 144° 48'.69 E) is off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 155

#### 467(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Swan Island - Light beacon unlit

Parks Victoria Notice 268(T)/2025

The light beacon, Fl.4s 6m 9M (38° 14'.32 S 144° 42'.29 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

#### 468(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Queenscliff - Light unlit

Parks Victoria Notice 259(T)/2025

The rear leading light, F.G (38° 15'.71 S 144° 40'.05 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

#### 469(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Mud Islands - Beacons destroyed

Ports Victoria Notice 247(T)/2025, 248(T)/2025

The beacons in position 38° 16'.96 S 144° 46'.01 E and 38° 16'.41 S 144° 45'.19 E have been destroyed.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

# 470(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Observatory Point to Point Franklin - Light buoys off station Parks Victoria Notice 258(T)/2025, 267(T)/2025

The special light buoys, Fl.Y.5s (38° 18'.34 S 144° 41'.23 E and 38° 18'.71 S 144° 42'.87 E), are off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 144

П

### **HYDROGRAPHIC REPORTS**

NIL