

17 April 2025 Edition 8

AUSTRALIAN NOTICES TO MARINERS

Notices 317 - 350

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail **datacentre@hydro.gov.au** or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 8

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
317	Aus 22, 115, 755
318	Aus 265
319	Aus 258, 831
320	Aus 236
321	Aus 236
322	Aus 4602, INT 602
323	Aus 763, 4709, INT 709
324	Aus 754
325	Aus 53
326	Aus 136, 778
327	Aus 780
328	Aus 485, 781
329	Aus 167
330(T)	Aus 265, 819, 820
331(T)	Aus 259
332(T)	Aus 236
333(T)	Aus 236
334(T)	Aus 293, 299
335(T)	Aus 25, 309
336(T)	Aus 115
337(T)	Aus 755
338(T)	Aus 327
339(T)	Aus 327
340(T)	Aus 319, 320
341(T)	Aus 64, 328, 743, 744
342(T)	Aus 120, 341, 342, 343, 4709, INT 709
343(T)	Aus 136, 778
344(T)	Aus 357, 487
345(T)	Aus 349
346(T)	Aus 349
347(T)	Aus 157
348(T)	Aus 155
349(T)	Aus 173, 795
350(T)	Aus 171

ı

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 8

	1
Aus Chart	Notices
Aus 22	317
Aus 25	335(T)
Aus 53	325
Aus 64	341(T)
Aus 115	317, 336(T)
Aus 120	342(T)
Aus 136	326, 343(T)
Aus 155	348(T)
Aus 157	347(T)
Aus 167	329
Aus 171	350(T)
Aus 173	349(T)
Aus 236	320, 321, 332(T), 333(T)
Aus 258	319
Aus 259	331(T)
Aus 265	318, 330(T)
Aus 293	334(T)
Aus 299	334(T)
Aus 309	335(T)
Aus 319	340(T)
Aus 320	340(T)
Aus 327	338(T), 339(T)
Aus 328	341(T)
Aus 341	342(T)
Aus 342	342(T)
Aus 343	342(T)
Aus 349	345(T), 346(T)
Aus 357	344(T)
Aus 485	328
Aus 487	344(T)
Aus 743	341(T)
Aus 744	341(T)
Aus 754	324
Aus 755	317, 337(T)
Aus 763	323
Aus 778	326, 343(T)
Aus 780	327
Aus 781	328
Aus 795	349(T)
Aus 819	330(T)
Aus 820	330(T)
Aus 831	319
Aus 4602	322
Aus 4709	323, 342(T)

INT Chart	Notices
INT 602	322
INT 709	323, 342(T)

317 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New	Ch	~ rt~
New	UII	สา เจ

Chart Title and Geographical limits Scale Publication Date Remarks

NIL

New Electronic Navigation Chart (Aus ENC)

Cell Name Title Publication Date Remarks

AU5ZBO01 Australia - Queensland - Bowen 10/04/2025 AU5268P1 is withdrawn.

AU5HPT01 Australia - Queensland - Hay Point and Mackay 10/04/2025 AU5250P0 is withdrawn.

New Editions and Withdrawn Charts

Chart Title Scale Publication Date Remarks

Aus 22 Australia - North Coast - Northern 1:50 000 18/4/2025 New edition with general updating throughout;

Territory - Apsley Strait (Northern Sheet) updating throughout;
Plan: including latest
Port Melville 1:10 000 bathymetric data.

Chart Aus 22 Edition 1 dated 21 Nov 2008 is now superseded and must be withdrawn

from use.

Aus 115 Australia - West Coast - Western 1:50 000 18/4/2025 New edition with general

(Edition 8) Australia - Approaches to Bunbury updating throughout;

including latest bathymetric data.

Chart Aus 115 Edition 7 dated 19 Mar 2021 is now superseded and must be withdrawn

from use.

Aus 755 Australia - West Coast - Western 1:150 000 18/4/2025 New edition with general

(Edition 4) Australia - Cape Peron to Cape updating throughout;

including latest bathymetric data.

Chart Aus 755 Edition 3 dated 21 Aug 2020 is

now superseded and must be withdrawn

from use.

Chart permanently withdrawn

Naturaliste

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

318 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

Chart Title Scale Remarks

NIL

Aus 265

New Editions to be published shortly

Chart Title Scale Remarks

Australia - East Coast - Queensland - Approaches to Port 1:25 000 New edition with general updating throughout;

Plan: including latest

Port Alma 1:10 000 bathymetric data.

319 AUSTRALIA - QUEENSLAND - Bingil Bay to Trinity Bay - Nomenclature

LADS Flight

Aus 258 (Gladys Inlet to King Reefs) [91/2024]

Amend name to Cowley Beach 17° 41'.6 S 146° 06'.5 E

Aus 258 (Dunk Island) [91/2024]

Amend name to Narragon Beach 17° 50'.9 S 146° 06'.2 E

Aus 831 [127/2025]

Delete name, Devils Thumb 16° 26'.7 S 145° 17'.7 E

320 AUSTRALIA - QUEENSLAND - Mooloolaba - Depth

Former Notice - 256(T)/2025 is cancelled

Maritime Safety Queensland Notice 128(T)/2025

Aus 236 [NE 6/12/2024]

Insert	contour, between	26° 40'.92 S	153° 07'.82 E
		26° 40'.81 S	153° 07'.79 E
		26° 40'.77 S	153° 07'.88 E
		26° 40'.81 S	153° 07'.94 E
	depth, 1 ₃ m	26° 40'.82 S	153° 07'.82 E
Delete	contour, between	26° 40'.9 S	153° 07'.8 E
	•	26° 40'.8 S	153° 07'.9 E

321 AUSTRALIA - QUEENSLAND - Moreton Bay - Chain Banks - Depths

Australian Hydrographic Office, Maritime Safety Queensland

Aus 236 [320/2025]

Insert accompanying ZOC diagram 27° 12'.0 S 153° 31'.5 E accompanying block 27° 25'.7 S 153° 17'.4 E

322 AUSTRALIA - QUEENSLAND - North Stradbroke Island to Point Cartwright - Fish aggregating devices

Department of Agriculture and Fisheries

Aus 4602 (INT 602) [949/2024]

Insert	depth, 25m, enclosed by danger circle with legend, FAD	26° 40'.7 S	153° 41'.2 E
	depth, 25m, enclosed by danger circle with legend, FAD	27° 01'.1 S	153° 47'.6 E
	depth, 25m, enclosed by danger circle with legend, FAD	27° 25'.7 S	153° 51'.3 E

323 AUSTRALIA - WESTERN AUSTRALIA - Archipelago of the Recherche - Chester Reef - Depths EGS Survey Pty Ltd		
Aus 763 [260/2022] Insert accompanying block	34° 28'.7 S	123° 36'.0 E
Aus 4709 (INT 709) [248/2025] Replace depth, 10_4 m, with depth, 8_3 m	34° 27'.8 S	123° 35'.8 E
324 AUSTRALIA - WESTERN AUSTRALIA - Ocean Reef Boat Harbour - I Department of Transport WA Notice WA398/3/2025	ight; depths	
Aus 754 [243/2025] Insert accompanying block	31° 44'.0 S	115° 44'.0 E
325 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Depths Precision Hydrographic Services		
Aus 53 [$246/2025$] Insert contour, between depth, $9_{o}m$, enclosed by contour	20° 13'.87 S 20° 13'.98 S 20° 14'.23 S 20° 14'.56 S 20° 13'.69 S	118° 34'.06 E 118° 34'.04 E 118° 34'.08 E 118° 34'.15 E 118° 33'.62 E
Delete contour, between depth, 9 ₂ m	20° 13'.9 S 20° 14'.1 S 20° 14'.4 S 20° 14'.4 S	118° 34'.1 E 118° 33'.9 E 118° 34'.0 E 118° 34'.1 E
326 AUSTRALIA - SOUTH AUSTRALIA - Germein Bay - Depths Australian Hydrographic Office Aus 136 [18/2025] Insert accompanying block	33° 04'.6 S	137° 58'.6 E
	33° 04'.6 S	137° 58'.6 E
Insert accompanying block	33° 04'.6 S	137° 58'.6 E
327 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Dudley Penin Department for Infrastructure and Transport SA Notice 29/2025	sula - Kangaroo H	ead - Pipeline
Aus 780 [170/2025] Insert intake pipeline, between	35° 43'.02 S 35° 43'.20 S	137° 55'.09 E 137° 55'.07 E
328 AUSTRALIA - SOUTH AUSTRALIA - Yorke Peninsula - Stansbury - L Department for Infrastructure and Transport SA Notice 26/2025	ight	
Aus 485 [248/2025] Delete light	34° 54'.2 S	137° 47'.9 E
Aus 781 [208/2025] Amend light range to 2M	34° 54'.2 S	137° 47'.9 E
329 AUSTRALIA - TASMANIA - Kanamaluka/River Tamar - West Arm - P Marine and Safety Tasmania Notice M188/2025	ipeline; light buoy	
Aus 167 [NE 16/8/2024] Insert outfall pipeline, between special spar light buoy, Fl. Y.3s, without topmark	41° 08'.809 S 41° 08'.714 S 41° 08'.714 S	146° 48'.178 E 146° 48'.138 E 146° 48'.138 E

330(T)/2025 AUSTRALIA - QUEENSLAND - Cape Capricorn to Yeppoon - Obstructions

Maritime Safety Queensland Notice 137(T)/2025

The Fitzroy River is experiencing increased outflows resulting in reports of partially submerged debris, dislodged vegetation and other hazards which may pose a hazard to navigation in coastal waters between Yeppoon and Cape Capricorn.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 265 - Aus 819 - Aus 820

331(T)/2025 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Oyster Rock to Haycock Island - Light buoys off station

Maritime Safety Queensland Notice 135(T)/2025, 136(T)/2025, 138(T)/2025

The following light buoys are off station:

Position Remarks

18° 29'.59 S 146° 16'.41 E starboard lateral light buoy, *Fl.G.3s No13* 18° 28'.34 S 146° 12'.99 E port lateral light buoy, *Fl.R.2·5s No14* port lateral light buoy, *Q.R No16*.

Chart temporarily affected - Aus 259

332(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Amity Point - Scientific instrument

Maritime Safety Queensland Notice 127(T)/2025

A lit scientific platform, Q.Y, exists in position 27° 23'.35 S 153° 26'.22 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236

333(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Deception Bay - Wreck salvaged

Former Notice - 905(T)/2024 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 236

334(T)/2025 AUSTRALIA - TORRES STRAIT - Holmes Reef - Wreck

Maritime Safety Queensland

A stranded wreck marked by a special light buoy, Fl.Y.4s, exists in position 10° 36'.23 S 142° 14'.17 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 293 - Aus 299

335(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Darwin - Middle Passage - Wreck

Former Notice - 259(T)/2025 is cancelled

Northern Territory Government

Cancel this notice on receipt.

Chart formerly affected - Aus 25 - Aus 309

336(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Harbour works

Former Notice - 219(P)/2025 is cancelled

Department of Transport WA Notice WA859/15/2025

Works associated with the construction of a new breakwater at the entrance to Casuarina Harbour are in progress between positions 33° 18'.67 S 115° 38'.63 E and 33° 18'.48 S 115° 38'.51 E.

Mariners should navigate between the lateral light buoys in the vicinity of position 33° 18'.67 S 115° 38'.61 E to follow the change in channel position.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 115

337(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Geographe Bay - Eagle Bay - Light buoy off station Department of Transport WA Notice 6398/2025

The special light buoy, Fl.Y.3s (33° 33'.01 S 115° 05'.17 E), is off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 755

338(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwestwards

Former Notice - 878(T)/2024 is cancelled MODU Ocean Apex

Drill rig Ocean Apex is conducting drilling operations in position 19° 18' 59 S 116° 33' 68 E.

Chart temporarily affected - Aus 327

339(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig

Woodside Energy Ltd

On or about 21 April 2025, drill rig *Transocean Endurance* will be conducting drilling operations in position 19° 26'.20 S 116° 28'.82 E.

Chart temporarily affected - Aus 327

340(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Heywood Shoal - Pipe laying operations; survey operations

Former Notice - 186(T)/2025 is cancelled

Northern Territory Government Notice 13(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 319 - Aus 320

341(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island - Subsea operations

Chevron Australia

Diving and mooring removal activities are in progress in the following positions:

21° 38'.17 S 114° 55'.43 E 21° 26'.42 S 115° 03'.24 E 21° 24'.00 S 115° 02'.55 E 21° 24'.33 S 115° 02'.79 E 21° 24'.35 S 115° 02'.82 E 21° 24'.36 S 115° 02'.94 E 21° 24'.15 S 115° 03'.07 E 21° 24'.06 S 115° 03'.00 E 21° 24'.05 S 115° 02'.97 E 21° 24'.27 S 115° 02'.97 E 21° 24'.00 S 115° 02'.86 E

21° 24'.13 S 115° 02'.62 E.

Vessels will display appropriate lights and shapes and will monitor VHF Ch 14 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 64 - Aus 328 - Aus 743 - Aus 744

342(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Nuyts Archipelago - Satellite re-entry southwards

Former Notice - 149(T)/2025 is cancelled

Southern Launch

Satellite re-entry will occur during the period 10 May to 31 May 2025.

Satellite debris may impact the waters within an area bounded by the following positions:

35° 36'.0 S 132° 54'.0 E 35° 36'.0 S 134° 54'.0 E 34° 09'.0 S 134° 54'.0 E 32° 00'.0 S 133° 57'.0 E 32° 00'.0 S 132° 54'.0 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 120 - Aus 341 - Aus 342 - Aus 343 - Aus 4709 (INT 709)

343(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Spencer Gulf - Port Bonython - Light buoy restored

Former Notice - 724(T)/2024 is cancelled

Department for Infrastructure and Transport SA Notice 50(T)/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 136 - Aus 778

344(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig

MODU Valaris 107

Drill rig *Valaris 107* is conducting drilling operations in position 38° 19'.3 S 147° 29'.1 E.

Chart temporarily affected - Aus 357 - Aus 487

345(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Safety zones southwards NOPSEMA

On 1 May 2025, a 500m radius safety zone will exist centred on positions 39° 06'.70 S 142° 55'.73 E and 39° 14'.37 S 142° 54'.82 E.

Chart temporarily affected - Aus 349

346(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations completed southwards

Former Notice - 194(T)/2025 is cancelled Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 349

347(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Kirk Point - Light relit

Former Notice - 312(T)/2025 is cancelled

Parks Victoria Notice 190/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 157

348(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Beaumaris Bay - Obstruction

Parks Victoria

An above water obstruction exists in position 37° 59'.38 S 145° 02'.83 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 155

349(T)/2025 AUSTRALIA - TASMANIA - Bruny Island - Labillardiere Peninsula - Point Labillardiere - Scientific instrument recovered

Former Notice - 308(T)/2024 is cancelled Marine and Safety Tasmania Notice M186(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 173 - Aus 795

350(T)/2025 AUSTRALIA - TASMANIA - River Derwent - Wrest Point - Wreck salvaged

Former Notice - 315(T)/2025 is cancelled Marine and Safety Tasmania Notice M193/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 171

HYDROGRAPHIC REPORTS

NIL